HEATERS

Efficient Heating Solutions for Every Space

ENERGY EFFICIENT
INNOVATIVE DESIGNS
RELIABLE PERFORMANCE

HAUSBERG®

QUALITY, INNOVATION AND STYLE!

HB-8225NG

ELECTRIC DIGITAL WALL-MOUNTED FIREPLACE HEATER WITH FAN

PRIME Series









- *PTC turbo fan heating
- *Body: Iron and glass
- *3 levels working setting
- *Copper motor
- *Wall-mounted or stand use
- *Turbofan
- *Suggestion heating area; 20-30m²
- *Led flame effect with orange color
- *With digital remote control
- *Two heating power (Heating from the front)
- *Adjustable brightness setting (4 levels)
- *Adjustable digital thermostat (15℃-45℃)
- *One-week and 0-12H adjustable digital timer
- *Safety thermal cutoff device
- *Full copper cable with VDE plug; 3*1.0mm², total 1.6m outsize
- *Power: 220-240V, 50Hz, 1600-1800W

HB-8221NG

ELECTRIC DIGITAL FIREPLACE HEATER WITH FAN

PRIME Series



- *PTC turbo fan heating
- *Body material: Metal and glass
- *Heating area: 20-30m²
- *Flame effect adjustable (5 levels)
- *With digital remote control
- *3 sides glass view
- *Safety thermal cut-off device
- *Touch screen
- *Remote control
- *Copper motor
- *2-stroke turbo fan heater
- *LED flame colors; Orange, white, purple, mix
- *With digital timer (0-12H)
- *With temperature setting (15-35°C)
- *2 levels of heating settings: 1000W/2000W
- *Full copper cable with VDE plug; 3*0.75mm², total 1.6m
- *Power: 220-240V, 50Hz, 1800-2000W





HAUSBERG®

HB-8218NG

ELECTRIC PORTABLE FIREPLACE HEATER

PRIME Series





- *PTC turbo fan heating
- *Fireplace flame effect
- *Use range: villas, duplex apartment hall, living room, study, etc.
- *Heating area: 20-30m²
- *Body material: Plastic
- *With LED flame effect
- *Adjustable brightness
- *With thermostatic temperature control
- *3 glass side view
- *Safety thermal cut-off device
- *Copper motor
- *2 level heating power: 1000W/2000W
- *Full copper cable with VDE plug; 0.75mm², total 1.6m
- *Power: 220-240V, 50Hz, 1800- 2000W

HB-8216NG

ELECTRIC FIREPLACE TYPE HOT AND COOL HEATER WITH FAN

WARMNest SERIES



- *Digital timer 12h, remote control
- *PTC turbo fan heating
- *Fan with copper DC motor
- *PTC heater, with fire-place effective
- *PTC ceramic heating
- *PTC ceramic with flame effect
- *2 levels heating settings: 1000/2200W
- *Cool/Warm/Hot wind for selection
- *Overheat protection
- *With remote control
- *Temperature thermostat setting 15-35□
- *Up to 12 hours timer
- *Wall-mounted and Desk-top
- *ION Air Purification
- *Full copper cable with VDE plug; 3x0.75mm², total 1.2m, outsize 1.4m
- *Power: AC220-240V, 50-60Hz, 2000W







HAUSBERG®

HB-8575AL

ELECTRIC 2 IN 1 TELESCOPIC CARBON HEATER

PRIME Series








- *Movable carbon-fiber tube
- *2 level heating settings
- *Vertical and telescopic use
- *Tip over switch
- *Rotary power switch
- *Aluminum housing
- *Stainless steel reflector
- *Stand model
- *Standard of the supply cord
- *Splash water protected (IP24)
- *Mechanic thermostat
- *Full copper cable with VDE plug; 1.0mm², total 2.6m, outside 1.5m
- *Power: AC220-240V, 50/60Hz, 1800-2000W


HB-8565NG

ELECTRIC TOWER TYPE CARBON FIBER HEATER


PRIME Series

- *Iron grille
- *Stainless steel reflector
- *2 level heating settings
- *Can be manual turning around
- *Splash water protection (IP24)
- *Carbon filter tube
- *Horizontal and vertical usage
- *Body material: Metal
- *Safety tip-over switch protection
- *Mechanic thermostat
- *Full copper cable with VDE plug; 0.75mm², 1.8M, out 1.5m
- *Power Off/500W/1000W and 500W/1000W with Oscillation (40 degree)
- *Heating performance equivalent to 2000W with the new generation carbon fiber tube
- *Power: AC220-240V, 50/60Hz










HAUSBERG®

HB-8570NG

ELECTRIC DIGITAL TOWER TYPE DOUBLE CARBON HEATER

PRIME Series








- *Touch control on product
- *Aluminum body
- *Power setting: Three gears
- *Digital touch control with remote
- *P1-1000W.P2-2000W.P3-3000W
- *With 24hours timer
- *With remote control
- *With tip-over switch
- *Digital thermostat
- *24-hours timer
- *Carbon filter tube
- *Splash water protection (IP45)
- *Full copper cable with VDE plug; 1.5mm^2, total 1.7m, outside 1.5m
- *Power: AC220-240V, 50/60Hz, 3000W

HB-8553AL

ELECTRIC DIGITAL INFRARED HEATER

PRIME Series

- *3 power settings
- *Digital touch control panel
- *Digital thermostat with LED screen
- *With 1 quartz tube
- *Aluminum housing
- *Wall-mounted and freestanding using
- *Iron mesh cover
- *Stainless steel reflector that reflects heat effectively
- *Digital timer: 24h., remote control
- *All functions can be controlled by ultra-thin remote control
- *Water splash resistant
- *Ingress protection (IP65)
- *Full copper cable with VDE plug; 3*1.0mm^2, total 1.7m, outside 1.5m
- *Power: 220-240V, 50/60Hz, 2000W








Wall mounted or tripod usage



The tripod stand is not included

HAUSBERG®



HB-8561NG

ELECTRIC METAL BODY TOWER TYPE CARBON HEATER

CALDO SERIES



- *Carbon filter heating element
- *Carbon-fiber tube
- *Body material: Metal
- *Body: Spray painted parts
- *With handle for easy carrying
- *Stainless steel reflector
- *High-efficiency
- *Energy saving
- *Safety tip-over switch
- *Wide-angle oscillation
- *Heating performance equivalent to 2000W with the new generation carbon fiber tube
- *Full copper cable with VDE plug: 3x0.75mm² x 2m, 1.5m total
- *2-level power settings: 500 / 1200W
- *Power: 220-240V, 50/60Hz


HB-8560NG

ELECTRIC TOWER INFRARED HEATER

CALDO SERIES

- *2 quartz heater
- *Double infrared tube
- *2 level working settings
- *Automatic tip-over switch protection
- *Long and equably heating
- *Automatic adjustable thermostat
- *Body material: Metal
- *Reflectors that reflect heat
- *Full copper cable with VDE plug; 1.6M, out 1.3m
- *2 heating power: 1000W/2000W
- *Power: 2000W, 220-240V, 50-60Hz






HAUSBERG®

HB-8552AL

ELECTRIC ALUMINUM BODY INFRARED HEATER

CALDO SERIES



*1 quartz tube

*Aluminum body material

*Adjustable thermostat control

*Wall-mounted

*Stainless steel reflectors that reflect heat

*Full copper cable with VDE plug; 1.5mm², total 1.7m, outside 1.5m

*Power: 220-240V, 50/60Hz, 3000W



The tripod stand is not included



Wall mounted or tripod usage

HB-8551AL

ELECTRIC ALUMINUM BODY INFRARED HEATER

CALDO SERIES

*1 quartz tube

*Aluminum body material


*Adjustable thermostat control

*Wall-mounted

*Stainless steel reflectors that reflect heat

*Full copper cable with VDE plug; 1.5mm², total 1.7m, outside 1.5m

*Power: 220-240V, 50/60Hz, 2500W





The tripod stand is not included




Wall mounted or tripod usage

HAUSBERG®

HB-8710GR

METAL ADJUSTABLE FEET FOR HEATER STAND

CALDO SERIES



- *Lightweight and durable
- *360° rotating head
- *Easy setup
- *Feet diameter: 700*700mm
- *Adjustable height: 1300-1700mm
- *Full metal body
- *Non-slip feet



The infrared heater is not included

HB-8803NG

ELECTRIC HEATER WITH CERAMIC ELEMENT

Heat line SERIES

- *4 ceramic tube
- *Body material: Full metal
- *Body: Spray paint
- *With handle for easy carrying
- *Stainless steel reflector
- *High efficiency
- *Energy saving
- *Full copper cable with VDE plug:
  3x0.75mm² x 1.0m, 1.3m
- *4-level power settings:
  500 / 1000 / 1500 / 2200W
- *Power: 220-240V, 50/60Hz





HAUSBERG®


HB-8800NG

QUARTZ HEATER ELECTRIC

CALDO SERIES







*3+1 quartz tube

*Metal body

*Tip over switch

*Adjustable thermostat

*Safety button against accidental rollover

*With wheels

*Body material: Metal

*Safety tip-over switch protection on casters

*Full copper cable with VDE plug;

3x0.75mm^2, total 1.3m, out. 1m

*4 level heat settings:

400W/800W/1200W/1600W

*Power: 220-240V, 50-60Hz, 1600W

HB-8102NG

ELECTRIC QUARTZ HEATER WITH FAN

Heat line SERIES





*2-heat settings: 1000W/2000W

*4 quartz tube

*Wide-angle heat reflectors

*Tip-over safety switch

*With humidifier fan

*Handle for easy carrying

*Water inlet for steam fan

*Iron grill

*Full copper cable with VDE plug;

3X0.75mm^2, total 1.3M, out 1m

*Power: 220-240V, 50-60Hz

HAUSBERG®

HB-8101NG

ELECTRIC QUARTZ HEATER

Heat line SERIES



- *3 quartz tube
- *Reflectors that reflect heat
- *3 level heat setting: 400W/800W/1500W
- *Safety tip-over switch
- *With the handle portable to carry
- *Full copper cable with VDE plug;
  3x0.75mm^2, 1.3M, out 1.1m
- *Power: 1500W, 220-240V, 50-60Hz



HB-8802NG

ELECTRIC 5 SIDED QUARTZ HEATER

CALDO SERIES

- *Quartz heating element
- *5 direction heating
- *10 quartz tube
- *Body material: Metal
- *Body: Spray painted parts
- *Wheels for easy movement
- *With handle for easy carrying
- *High efficiency
- *Energy saving
- *Safety tip-over switch
- *Full copper cable with VDE plug:
  3x0.75mm^2 x 1.0m, 1.3m total
- *5-level power settings:
  400 / 800 / 1200 / 1600 / 2200W
- *Power: 220-240V, 50/60Hz






HAUSBERG®

PRIME Series

HB-8215NG

ELECTRIC DIGITAL CONVECTOR HEATER









- *X-shaped aluminum heating element
- *2 levels power settings: 1000/2000W
- *Body material: Metal
- *Tempered glass panel
- *Splash water protected (IP24)
- *Remote control
- *Digital 24h. and weekly timer
- *Aluminum heating elements
- *LCD display
- *24-hour timer and weekly timer
- *Touchscreen control panel and remote control
- *Self-resetting thermostat and thermal fuse
- *Temperature setting thermostat from 5°-50°
- *Freestanding, or wall-mounted function
- *With tip-over switch
- *Child lock function
- *Anti-freezing function
- *Window opening function, when the window of the room is opened, the heater will automatically turn off the power and stop heating.
- *Full copper cable with VDE plug; 1.0mm², total 1.7m, outsize 1.5m
- *Power: AC220-240V, 50-60Hz, 2000W

HB-8230

METAL CONVECTION HEATER

CALDO SERIES

- *AC220-240V ,50-60Hz, heating wire, 2300W
- *Three power settings: 1000W/1300W/2300W
- *Aluminum heating elements with metal body
- *Temperature adjustable function (5-37°C, 41-99°F)
- *Safety thermal cut-out
- *Overheat protecting
- *Remote control
- *Built in carry handles
- *Freestanding only
- *Digital timer 24 hours
- *Turbo fan
- *LCD display









HAUSBERG®

HB-8206

ELECTRIC CONVECTOR HEATER

WARMNest SERIES



- *3 power settings: 750/1250/2000W
- *Overheat protection
- *Power indicator light
- *Portable with handle
- *Adjustable thermostat control
- *Aluminum heating elements
- *Metal body material
- *Full copper cable with VDE plug 1.2M outside, 3*0.75





HB-8217AB

ELECTRIC DIGITAL WALL-MOUNTED HOT AND COOL HEATER WITH FAN

WARMNest SERIES

- *2 levels heating and fan settings power: 1000W/2000W
- *2 kinds of wind: cool and heat
- *Digital timer 8h.
- *Wall-mounted heater
- *Remote control
- *Timer
- *Turbofan
- *Ability to use cold and hot
- *PTC turbo fan cooling/heating
- *Digital screen
- *Full copper cable with VDE plug; 3*0.75mm², total 1.3m, outsize 1m
- *Power: 220-240V, 50-60Hz









HAUSBERG®

HB-8503

ELECTRIC PTC TOWER HEATER

WARMNest SERIES







- *Spray body
- *80° oscillation and safety tip-over function
- *2 functions with turbo fan
- *Overheating protection
- *Push button control
- *Power indicator light
- *Safety ceramic PTC heating element
- *Recessed handle
- *Wide degree angle
- *Economical and durable heater
- *Thermostat control
- *Full copper cable with VDE plug; 2x0.75mm^2, 1.4M outside
- *Power: 220-240V, 50-60Hz, 1000-2000W

HB-8770

ELECTRIC CERAMIC HEATER

WARMNest SERIES

- *Ceramic PTC heating element
- *Turbo fan
- *Thermostat control
- *Selector fan / warm air / hot air
- *Integrated handle in housing
- *Oscillation function at 70 degrees
- *Integral carry handle
- *Full copper cable with VDE plug; 3*0,75mm*1,5m;
- *Power: 220-240V, 50-60Hz, 1500W









HAUSBERG®

HB-8501AB

ELECTRIC FAN HEATER

WARMNest SERIES





- *2 levels of heating adjustment: 1000W/2000W
- *Copper motor
- *Rapid heating and cool blowing
- *Adjustable thermostat control
- *Automatic protection against overheating
- *Indicator light
- *Safety thermal cut-out
- *Handle for easy carrying
- *Anti-tilt device
- *Full copper cable with VDE plug; 0.75m^2, 1.2M/1.4
- *Power: 220-240V, 50/60Hz, 1800-2100W

Stay Warm, Stay Cozy with Hausberg



HB-1010NG

ELECTRIC GAS STOVE HEATER

CALDO
SERIES








*Product power: 4.2KW
*Gas heating power: 1.5kW/2.8kW/4.2kW
*Pizeo ignition & Brass valve
*5 wheel & screwdriver & wrench
*Flame failure device; anti-tilt device
*Ceramic infrared burner
*Equipped with automatic safety stop device in case of lack of oxygen and electric piezo ignition
*Full metal body
*FFD (Flame failure device)
*Large heating area
*Gas pressure: 30mba/37mba/50mba

HB-1021NG

ELECTRIC GAS STOVE HEATER

CALDO
SERIES

*Automatic gas cut-off system
*Disassembled storage and transportation
*Foldable transport and storage system
*Tilt-over safety
*Easy to move with 4 wheels
*3-stage ceramic heating plates
*Cylinder (15kg) can be put in heater cabinet, moving freely
*Body material: Full metal
*3 power settings
*Piezo-electric ignition
*With ODS & flame-failure protection device
*With anti-tilt safety device
*Gas type: LGP/Propane/Butane
*Gas heating power: 1.5kW/2.8kW/4.2kW
*Gas consumption: 110g/h-200g/h-305g/h
*Large heating area: 20-80sqm
*FFD (Flame failure device)







HAUSBERG®

HB-1022NG

ELECTRIC CATALYTIC GAS HEATER WITH CERAMIC HEATING

CALDO SERIES







*Automatic gas cut-off system
*Disassembled storage and transportation
*Foldable transport and storage system
*Tilt-over safety
*Easy to move with 4 wheels
*3-stage ceramic heating plates
*Cylinder (15kg) can be put in heater cabinet, moving freely
*Body material: Full metal
*3 power settings:
*Piezo-electric ignition
*With ODS & flame-failure protection device
*With anti-tilt safety device
*Gas type: LGP/Propane/Butane
*Gas heating power: 1.5kW/2.8kW/4.2kW
*Gas consumption: 110g/h-200g/h-305g/h
*Heating area: 20-80sqm
*Power: 360W/720W/1080W, 220V, 60Hz
*FFD (Flame failure device)

HB-1023NG

ELECTRIC GAS STOVE HEATER

CALDO SERIES

*Automatic gas cut-off system
*Suitable for LPG / butane / propane use
*Disassembled storage and transportation
*Foldable transport and storage system
*Tilt-over safety
*Easy to move with 5 wheels
*3-stage ceramic heating plates
*Electrostatic powder body paint
*Brass gas taps
*Body thickness: 0.6mm/base thickness: 1.0m
*Three power settings:
1.6kW / 2.8kW / 4.2kW
*Cylinder (10-19kg) can be put in heater cabinet, moving freely
*FFD (Flame failure device)
*Ignition fitting





HAUSBERG®

HB-8950NG

DIGITAL RADIATOR HEATER WITH OIL -9 FINS

HeatWave SERIES










*Fins: 120mm×550mm (4 oil channels)
*LED touch screen with brightness adjustment
*Electronic thermostat
*24 hours timer
*3 mode settings: Eco, Comfort, Anti frost
*With remote control
*Child lock
*Multi-directional swivel wheels
*Overheating protection system
*Overheat safety cut-off
*Anti-tilt protection system
*Temperature range: 5-35°
*Body: Spray paint
*Full copper cable with VDE plug; 3G*0.75mm2*1.75m, 1.45m OUTSIDE-FULL COPPER CABLE
*Power: 800W/1200W/2000W, 220-240V~, 50/60Hz

HB-8955NG

DIGITAL RADIATOR HEATER WITH OIL -11 FINS

HeatWave SERIES

*Fins: 120mm×550mm (4 oil channels)
*LED touch screen with brightness adjustment
*Electronic thermostat
*24 hours timer
*3 mode settings: Eco, Comfort, Anti frost
*With remote control
*Child lock
*Multi-directional swivel wheels
*Overheating protection system
*Overheat safety cut-off
*Anti-tilt protection system
*Temperature range: 5-35°
*Body: Spray paint
*Full copper cable with VDE plug; 3G*0.75mm2*1.75m, 1.45m OUTSIDE-FULL COPPER CABLE
*Power: 1000W/1500W/2500W, 220-240V~, 50/60Hz









HAUSBERG®

HB-8900NG

ELECTRIC RADIATOR HEATER WITH OIL -7 FINS

HeatWave SERIES







- *Three heating settings
- *Adjustable thermostat control
- *Triple overheater protection system
- *Operation switches with indicator lights
- *Pressure tested for safety
- *Large heating surface and radiation
- *Energy efficient and fast heat radiation
- *Large handle for easy movement
- *With cord storage
- *Power: 220-240V, 50/60Hz, 1500W

HB-8910NG

ELECTRIC RADIATOR HEATER WITH OIL -9 FINS

HeatWave SERIES



- *Fins: 150mm×580mm
- *3 heating settings
- *Adjustable thermostat control
- *Triple overheater protection system
- *Operation switches with indicator lights
- *Energy efficient and fast heat radiation
- *Handle and castors for easy movement
- *With cord storage
- *Large heating surface and radiation
- *Overheat safety cut-off
- *With tip-over switch
- *Body: Spray paint
- *Full copper cable with VDE plug; 3G*0.75mm2*1.75m, 1.45m OUTSIDE
- *Power: 800W/1200W/2000W , 220-240V~ , 50/60Hz





HAUSBERG®

HB-8920NG

ELECTRIC RADIATOR HEATER WITH OIL -11 FINS

HeatWave SERIES







- *Fins: 150mm×580mm
- *3 heating settings
- *Adjustable thermostat control
- *Triple overheater protection system
- *Operation switches with indicator lights
- *Energy efficient and fast heat radiation
- *Handle and castors for easy movement
- *With cord storage
- *Large heating surface and radiation
- *Overheat safety cut-off
- *With tip-over switch
- *Body: Spray paint
- *Full copper cable with VDE plug; 3G*0.75mm2*1.75m, 1.45m OUTSIDE
- *Power: 1000W/1500W/2500W , 220-240V~ , 50/60Hz

HB-8930NG

ELECTRIC RADIATOR HEATER WITH OIL -13 FINS

HeatWave SERIES



- *Fins: 150mm×580mm
- *3 heating settings
- *Adjustable thermostat control
- *Triple overheater protection system
- *Operation switches with indicator lights
- *Energy efficient and fast heat radiation
- *Handle and castors for easy movement
- *With cord storage
- *Large heating surface and radiation
- *Overheat safety cut-off
- *With tip-over switch
- *Body: Spray paint
- *Full copper cable with VDE plug; 3G*0.75mm2*1.75m, 1.45m OUTSIDE
- *Power: 1000W/1500W/2500W , 220-240V~ , 50/60Hz





HAUSBERG®

HB-8907NG

ELECTRIC RADIATOR HEATER WITH OIL -7 FINS

HeatWave SERIES





*Fins: 120mm×500mm
*3 heating settings
*Adjustable thermostat control
*Triple overheater protection system
*Operation switches with indicator lights
*Energy efficient and fast heat radiation
*Handle and castors for easy movement
*With cord storage
*Large heating surface and radiation
*Overheat safety cut-off
*With tip-over switch
*Body: Spray paint
*Full copper cable with VDE plug;
3G*0.75mm2*1.75m, 1.45m OUTSIDE
*Power: 600W/900W/1500W ,
220-240V~ , 50/60Hz

HB-8909NG

ELECTRIC RADIATOR HEATER WITH OIL -9 FINS

HeatWave SERIES





*Fins: 120mm×500mm
*3 heating settings
*Adjustable thermostat control
*Triple overheater protection system
*Operation switches with indicator lights
*Energy efficient and fast heat radiation
*Handle and castors for easy movement
*With cord storage
*Large heating surface and radiation
*Overheat safety cut-off
*With tip-over switch
*Body: Spray paint
*Full copper cable with VDE plug;
3G*0.75mm2*1.75m, 1.45m OUTSIDE
*Power: 800W/1200W/2000W,
220-240V~ , 50/60Hz

HAUSBERG®

HB-8911NG

ELECTRIC RADIATOR HEATER WITH OIL -11 FINS

HeatWave SERIES





- *Fins: 120mm×500mm
- *3 heating settings
- *Adjustable thermostat control
- *Triple overheater protection system
- *Operation switches with indicator lights
- *Energy efficient and fast heat radiation
- *Handle and castors for easy movement
- *With cord storage
- *Large heating surface and radiation
- *Overheat safety cut-off
- *With tip-over switch
- *Body: Spray paint
- *Full copper cable with VDE plug; 3G*0.75mm2*1.75m, 1.45m OUTSIDE
- *Power: 1000W/1500W/2500W, 220-240V~ , 50/60Hz

HB-8913NG

ELECTRIC RADIATOR HEATER WITH OIL -13 FINS

HeatWave SERIES





- *Fins: 120mm×500mm
- *3 heating settings
- *Adjustable thermostat control
- *Triple overheater protection system
- *Operation switches with indicator lights
- *Energy efficient and fast heat radiation
- *Handle and castors for easy movement
- *With cord storage
- *Large heating surface and radiation
- *Overheat safety cut-off
- *With tip-over switch
- *Body: Spray paint
- *Full copper cable with VDE plug; 3G*0.75mm2*1.75m, 1.45m OUTSIDE
- *Power: 1000W/1500W/2500W, 220-240V~ , 50/60Hz

HAUSBERG®

HB-8905NG

ELECTRIC RADIATOR HEATER WITH OIL -7 FINS

HeatWave SERIES





- *Fins: 110mm×580mm
- *3 heating settings
- *Operating switch with indicator light
- *Adjustable thermostat
- *Overheat safety cut-off
- *Handle and castors for easy movement
- *Wrap around cord storage
- *With tip-over switch
- *3 heating level
- *Indicator LED light
- *Spray paint body
- *Full copper cable with VDE plug: 3 x 0.75mm² /1.75m
- *Power: 220-240V, 50/60Hz, 600W/900W/1500W

HB-8915NG

ELECTRIC RADIATOR HEATER WITH OIL -9 FINS

HeatWave SERIES





- *Fins: 110mm×580mm
- *3 heating settings
- *Operating switch with indicator light
- *Adjustable thermostat
- *Overheat safety cut-off
- *Handle and castors for easy movement
- *Wrap around cord storage
- *With tip-over switch
- *3 heating level
- *Indicator LED light
- *Spray paint body
- *Full copper cable with VDE plug: 3 x 0.75mm² /1.75m
- *Power: 220-240V, 50/60Hz, 800W/1200W/2000W

HAUSBERG®

HB-8925NG

ELECTRIC RADIATOR HEATER WITH OIL -11 FINS

HeatWave SERIES





- *Fins: 110mm×580mm
- *3 heating settings
- *Operating switch with indicator light
- *Adjustable thermostat
- *Overheat safety cut-off
- *Handle and castors for easy movement
- *Wrap around cord storage
- *With tip-over switch
- *3 heating level
- *Indicator LED light
- *Spray paint body
- *Full copper cable with VDE plug: 3 x 0.75mm² /1.75m
- *Power: 220-240V, 50/60Hz, 1000W/1500W/2500W

HB-8935NG

ELECTRIC RADIATOR HEATER WITH OIL -13 FINS

HeatWave SERIES





- *Fins: 110mm×580mm
- *3 heating settings
- *Operating switch with indicator light
- *Adjustable thermostat
- *Overheat safety cut-off
- *Handle and castors for easy movement
- *Wrap around cord storage
- *With tip-over switch
- *3 heating level
- *Indicator LED light
- *Spray paint body
- *Full copper cable with VDE plug: 3 x 0.75mm² /1.75m
- *Power: 220-240V, 50/60Hz, 1000W/1500W/2500W

HAUSBERG®

HB-8940NG

ELECTRIC RADIATOR HEATER WITH OIL -7 FINS

HeatWave SERIES



- *Fins: 100mm×330mm
- *Operating switch with indicator light
- *Adjustable thermostat
- *Overheat safety cut-off
- *Handle for easy movement
- *One heating settings
- *Indicator LED light
- *Spray paint body
- *Full copper cable with VDE plug: 3 x 0.75mm² /1.75m
- *Power: 220-240V, 50/60Hz, 800W

MINI



HB-8945NG

ELECTRIC RADIATOR HEATER WITH OIL -9 FINS

HeatWave SERIES



- *Fins: 100mm×330mm
- *Operating switch with indicator light
- *Adjustable thermostat
- *Overheat safety cut-off
- *Handle for easy movement
- *One heating settings
- *Indicator LED light
- *Spray paint body
- *Full copper cable with VDE plug: 3 x 0.75mm² /1.75m
- *Power: 220-240V, 50/60Hz, 1000W

MINI



HAUSBERG®

