TATTA®

ROBIN TOOLZ&GARDEN



# GARDEN ITEMS CATALOG

CE


TATTA®
ROBIN TOOLZ&GARDEN

TATTA®
ROBIN TOOLZ&GARDEN

BACKPACK SPRAYER



CHAINSAW



TRIMMER



TRIMMER BLADE

TRIMMER WIRE



CLASSIC ELECTRIC HAMMER MILL



CAR START ROBOT, BATTERY RECTIFIER



INVERTER WELDING MACHINE



ELECTRIC CORN MILL



GRAPE CRUSHING VAT



CENTRIFUGAL PUMP



WATER PUMP



ATOMIZER SPRAYER



WATERPROOF DRESS



DRILL BIT



PVC LAYFLAT HOSE



THE PERFECT SOLUTION IN YOUR HOUSEHOLD!

TATTA®
ROBIN TOOLZ&GARDEN

# BACKPACK SPRAYER



**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA
ROBIN TOOLZ&GARDEN

# BACKPACK SPRAYER

## TP1201 A BATTERY BACKPACK SPRAYER





Battery(12v8Ah)
2.2 Kgs


Charger
1.0A


3.6LPM single
automatic engine


Adjustable
stainless steel rod


PP backpack
tank


LED voltmeter and
on / off switch

* 12LTR battery sprayer with PP backpack tank
* Rod: Adjustable stainless steel rod
* Battery: (12V 8AH) 2.2 Kgs
* Black rubber hose: Maximum pressure range 1 Mpa
* Speed controller, LED voltmeter and on-off switch: INCLUDED
* Charger: 1.0A
* Motor pump specifications: 3.6LPM single automatic engine
* CE standard

## TP1202 A BATTERY BACKPACK SPRAYER





Battery(12v8Ah)
2.2 Kgs


Charger
1.0A


3.6LPM single
automatic engine


Adjustable
stainless steel rod


PP backpack
tank


LED voltmeter and
on / off switch

* 12LTR battery sprayer with PP backpack tank
* Rod: Adjustable stainless steel rod
* Battery (12V8AH) 2.2 Kgs
* Black rubber hose: Maximum pressure range 1 Mpa
* Motor pump specifications: 3.6LPM single automatic engine
  Speed controller, LED voltmeter and on / off switch: INCLUDED
* load: 1 .OA
* CE standard

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA ROBIN TOOLZ&GARDEN

# BACKPACK SPRAYER




## TP-18 KM HAND-OPERATED SPRAYER


Fiberglass rod w hand trigger



Hand-operated sprayer 16 Ltr Material PE


Operating pressure: 2.4 bar



Capacity: 16 liters

* 16 LTR battery sprayer with PP backpack tank
* Rod: Adjustable stainless steel rod
* Battery: (12V8AH) 2.2 Kgs
* Black rubber hose: Maximum pressure range 1 Mpa
* Speed controller, LED voltmeter and on-off switch: INCLUDED
* Charger: 1.0A
* Motor pump specifications: 3.6LPM single automatic engine
* CE standard




## TP-18 PM HAND-OPERATED SPRAYER


Fiberglass rod w hand trigger


Hand-operated sprayer 16 Ltr Material PE


Operating pressure: 2.4 bar



Capacity: 16 liters

* 16 LTR battery sprayer with PP backpack tank
* Rod: Adjustable stainless steel rod
* Battery (12V 8AH) 2.2 Kgs
* Black rubber hose: Maximum pressure range 1 Mpa
* Motor pump specifications: 3.6LPM single automatic engine
Speed controller, LED voltmeter and on / off switch: INCLUDED * Charger: 1.0A
* CE standard

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA ROBIN TOOLZ&GARDEN

# BACKPACK SPRAYER

## TP-20 NM HAND-OPERATED SPRAYER





Fiberglass rod w hand trigger



Hand-operated sprayer 20 Ltr Material PE


Operating pressure: 2.4 bar



Capacity: 20 liters

* 20 LTR battery sprayer with PP backpack tank
* Rod: Adjustable stainless steel rod
* Battery: (12V8AH) 2.2 Kgs
* Black rubber hose: Maximum pressure range 1 Mpa
* Speed controller, LED voltmeter and on-off switch: INCLUDED
* Charger: 1.0A
* Motor pump specifications: 3.6LPM single automatic engine
* CE standard

## TP-20 PM MANUAL OPERATED SPRAYER





Fiberglass rod w hand trigger


Hand-operated sprayer 20 Ltr Material PE


Operating pressure: 2.4 bar


Capacity: 20 liters

* 20Ltr Manual Operated Sprayer PE MATERIAL
* Capacity:20Liters
* Fiber Glass Lance, Hand Trigger
* CE Stander

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# BACKPACK SPRAYER




## TP-20D-1M HAND-OPERATED SPRAYER


Fiberglass rod w hand trigger



Hand-operated sprayer 20 Ltr Material PE


Operating pressure: 2.4 bar


Capacity: 20 liters

* 20LTR battery sprayer with PP backpack tank
* Rod: Adjustable stainless steel rod
* Battery: (12V8AH) 2.2 Kgs
* Black rubber hose: Maximum pressure range 1 Mpa
* Speed controller, LED voltmeter and on-off switch: INCLUDED
* Charger: 1.0A
* Motor pump specifications: 3.6LPM single automatic engine
* CE standard




## TP-181 M MANUAL OPERATED SPRAYER


Fiberglass rod w hand trigger



Hand-operated sprayer 18 Ltr Material PE


Operating pressure: 2.4 bar


Capacity:18 liters

* 18Ltr Manual Operated Sprayer PP MATERIAL
* Capacity: 18Liters
* Fiber Glass Lance,Hand Trigger
* CE Stander

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# BACKPACK SPRAYER




## TP-501 M HAND-OPERATED SPRAYER



* 5 LTR battery sprayer with PP backpack tank
* Rod: Adjustable stainless steel rod
* Battery: (12V8AH) 2.2 Kgs
* Black rubber hose: Maximum pressure range 1 Mpa
* Speed controller, LED voltmeter and on-off switch: INCLUDED
* Charger: 1.0A * Motor pump specifications: 3.6LPM single automatic engine
* CE standard




## TP-502 M HAND-OPERATED SPRAYER




Fiberglass rod w hand trigger

Hand-operated sprayer 5 Ltr Material PE

Operating pressure: 2.4 bar

Capacity: 5 liters

* 5 LTR battery sprayer with PP backpack tank
* Rod: Adjustable stainless steel rod
* Battery (12V8AH) 2.2 Kgs
* Black rubber hose: Maximum pressure range 1 Mpa
* Motor pump specifications: 3.6LPM single automatic engine
  Speed controller, LED voltmeter and on / off switch: INCLUDED
* Charger: 1.0A
* CE standard

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA
ROBIN TOOLZ&GARDEN

# BACKPACK SPRAYER

## TP-801 M HAND-OPERATED SPRAYER





Fiberglass rod
w hand trigger


Hand-operated sprayer
8 Ltr Material PE


Operating pressure:
2.4 bar


Capacity: 8 liters

* 8 LTR battery sprayer with PP backpack tank
* Rod: Adjustable stainless steel rod
* Battery: (12V8AH) 2.2 Kgs
* Black rubber hose: Maximum pressure range 1 Mpa
* Speed controller, LED voltmeter and on-off switch: INCLUDED
* Charger: 1.0A
* Motor pump specifications: 3.6LPM single automatic engine
* CE standard

## TP-802 M HAND-OPERATED SPRAYER





Fiberglass rod
w hand trigger


Hand-operated sprayer
8 Ltr Material PE


Operating pressure:
2.4 bar


Capacity: 8 liters

* 8 LTR battery sprayer with PP backpack tank
* Rod: Adjustable stainless steel rod
* Battery: (12V8AH) 2.2 Kgs
* Black rubber hose: Maximum pressure range 1 Mpa
* Motor pump specs: 3.6LPM automatic single engine.
  Speed controller, LED voltmeter and on-off switch: INCLUDED
* Charger: 1.0A
* CE standard

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# BACKPACK SPRAYER

## TP-201 M HAND-OPERATED SPRAYER





Fiberglass rod
w hand trigger


Hand-operated sprayer
2 Ltr Material PE


Operating pressure:
2.0 bar


Capacity: 2 liters

* 2 LTR battery sprayer with PP backpack tank
* Rod: Adjustable stainless steel rod
* Battery: (12V8AH) 2.2 Kgs
* Black rubber hose: Maximum pressure range 1 Mpa
* Speed controller, LED voltmeter and on-off switch: INCLUDED
* Charger: 1.0A
* Motor pump specifications: 3.6LPM single automatic engine
* CE standard

## TP-1640 AM BATTERY 2 IN 1 HAND-OPERATED SPRAYER





Battery(12v8Ah)
2.2 Kgs


Charger
1.0A


3.6LPM single
automatic engine


Adjustable
stainless steel rod


PP backpack
tank


LED voltmeter and
on / off switch

* 15 LTR battery sprayer with PP backpack tank
* Rod: Adjustable stainless steel rod
* Battery: (12V8AH) 2.2 Kgs
* Black rubber hose: Maximum pressure range 1 Mpa
* Motor pump specifications: 3.6LPM single automatic engine
  Speed controller, LED voltmeter and on-off switch: INCLUDED
* Charger: 1.0A
* CE standard

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

# BACKPACK SPRAYER




## TP-1830 A BATTERY BACKPACK SPRAYER


Battery(12v8Ah) 2.2 Kgs


Charger 1.0A


3.6LPM single automatic engine


Adjustable stainless steel rod


PP backpack tank


LED voltmeter and on / off switch

* 16 LTR battery sprayer with PP backpack tank
* Rod: Adjustable stainless steel rod
* Battery: (12V8AH) 2.2 Kgs
* Black rubber hose: Maximum pressure range 1 Mpa
* Speed controller, LED voltmeter and on-off switch: INCLUDED
* Charger: 1.0A
* Motor pump specifications: 3.6LPM single automatic engine
* CE standard




## TP-1831 A HAND-OPERATED SPRAYER


Battery(12v8Ah) 2.2 Kgs


Charger 1.0A


3.6LPM single automatic engine


Adjustable stainless steel rod


PP backpack tank


LED voltmeter and on / off switch

* 16 LTR battery sprayer with PP backpack tank
* Rod: Adjustable stainless steel rod
* Battery: (12V8AH) 2.2 Kgs
* Black rubber hose: Maximum pressure range 1 Mpa
* Motor pump specifications: 3.6LPM single automatic engine
* Speed controller, LED voltmeter and on-off switch: INCLUDED
* Charger: 1.0A
* CE standard

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

# BACKPACK SPRAYER

## TP-1833 AM BATTERY 2 IN 1 HAND-OPERATED SPRAYER





Battery(12v8Ah) 2.2 Kgs


Charger 1.0A


3.6LPM single automatic engine


Adjustable stainless steel rod


PP backpack tank


LED voltmeter and on / off switch

* 16 LTR battery sprayer with PP backpack tank
* Rod: Adjustable stainless steel rod
* Battery: (12V8AH) 2.2 Kgs
* Black rubber hose: Maximum pressure range 1 Mpa
* Speed controller, LED voltmeter and on-off switch: INCLUDED
* Charger: 1.0A
* Motor pump specifications: 3.6LPM single automatic engine
* CE standard

## TP-1838 A BATTERY BACKPACK SPRAYER





Battery(12v8Ah) 2.2 Kgs


Charger 1.0A


3.6LPM single automatic engine


Adjustable stainless steel rod


PP backpack tank


LED voltmeter and on / off switch

* 18 LTR battery sprayer with PP backpack tank
* Rod: Adjustable stainless steel rod
* Battery: (12V8AH) 2.2 Kgs
* Black rubber hose: Maximum pressure range 1 Mpa
* Speed controller, LED voltmeter and on-off switch: INCLUDED
* Charger: 1.0A
* Motor pump specifications: 3.6LPM single automatic engine
* CE standard

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# BACKPACK SPRAYER




## TP-2010 A BATTERY BACKPACK SPRAYER


Battery(12v8Ah) 2.2 Kgs


Charger 1.0A


3.6LPM single automatic engine


Adjustable stainless steel rod


PP backpack tank


LED voltmeter and on / off switch

* 20 LTR battery sprayer with PP backpack tank
* Rod: Adjustable stainless steel rod
* Battery: (12V8AH) 2.2 Kgs
* Black rubber hose: Maximum pressure range 1 Mpa
* Speed controller, LED voltmeter and on-off switch: INCLUDED
* Charger: 1.0A
* Motor pump specifications: 3.6LPM single automatic engine
* CE standard




## TP-2018 AM BATTERY 2 IN 1 HAND-OPERATED SPRAYER


Battery(12v8Ah) 2.2 Kgs


Charger 1.0A


3.6LPM single automatic engine


Adjustable stainless steel rod


PP backpack tank


LED voltmeter and on / off switch

* 20 LTR battery sprayer with PP backpack tank
* Rod: Adjustable stainless steel rod
* Battery: (12V8AH) 2.2 Kgs
* Black rubber hose: Maximum pressure range 1 Mpa
* Motor pump specifications: 3.6LPM single automatic engine
* Speed controller, LED voltmeter and on-off switch: INCLUDED
* Charger: 1.0A
* CE standard

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# BACKPACK SPRAYER

## TP-2022 A BATTERY BACKPACK SPRAYER





Acumulator(12v 8Ah) 2.2 Kgs


Încărcător 1.0A


Motor unic automat de 3.6LPM


Tijă reglabilă din inox


Rezervor tip rucsac din material pp


Voltmetru LED și comutator pornit-oprit


*20LTR Battery Operated Sprayer with Backrest PP Material
*Lance: Adjustable Stainless steel lance
* Black rubber hose: Maximum pressure range 1 Mpa
* Speed controller&LED voltmeter&on-off switch: INCLUDED
* Charger: 1.0A
*BATTERY DETAILS: ( 12V 8AH ) 2.2 Kgs
*Motor Pump specification: 3.6LPM Single auto motor
* CE Stander



**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# CHAINSAW



THE PERFECT SOLUTION IN YOUR HOUSEHOLD!

TATTA® ROBIN TOOLZ&GARDEN

# CHAINSAW

## TD-5800 PROFESSIONAL CHAINSAW


Cylinder capacity: 58cc


Rail length (inch/cm): 20"/50


Engine: two stroke, air-cooled


Noise level(dB):110


Max. engine power: 2,5 KW
Engine power: 3,4 CP


Oil tank capacity: 260ml
Fuel tank capacity: 550 ml




* Gasoline / oil mixture in 2 cycles in proportion of: 25; 1
* Oil tank capacity: 260ML
* Fuel tank capacity: 550ML
* Double shock-resistant plastic housing / metal motor housing
* Cylindrical capacity: 58cc
* Engine type: two-stroke, air cooling
* Maximum engine power: 2.5 KW
* Engine power: 3.4 hp
* Ignition type: CDI
* Engine oil type: SAE # 10W-30
* Fuel type: diaphragm
* Spark plug type: L7T
* Lubrication system: adjustable automatic pump
* Rail length (inch / cm): 20"/50 * Noise level (dB): 110
* PRODUCT COLOR: Red + Black * 1 PCS / BOX
* CE standard

## TD-5200 BL PRACTICAL CHAINSAW


Noise level(dB):110


Max. engine power: 2,2 KW
Engine power: 2,99 CP


Cylinder capacity: 58cc


Rail length (inch/cm): 16"/40


Engine: two stroke, air-cooled


Oil tank capacity: 260ml
Fuel tank capacity: 550 ml




* Gasoline / oil mixture in 2 cycles in the proportion of: 25; 1
* Oil tank capacity: 260ML
* Fuel tank capacity: 550ML
* Cylindrical capacity: 52cc
* Engine type: two-stroke, air cooling
* Maximum engine power: 2.2 KW
* Engine power: 2.99 hp
* Ignition type: CDI
* Engine oil type: SAE # 10W-30
* Fuel type: diaphragm
* Spark plug type: L7T
* Lubrication system: adjustable automatic pump
* Rail length (inch / cm): 16"/40
* Noise level (dB): 110
* PRODUCT COLOR: Blue + Gray
* 2 PCS / BOX
* CE standard

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

# TD-5210 RS

## CHAINSAW



Noise level(dB):110



Max. engine power: 2,2 KW
Engine power: 2,99 CP



Oil tank capacity: 260ml
Fuel tank capacity: 550 ml



Cylinder capacity: 52cc



Engine: two stroke, air-cooled



Rail length (inch/cm): 18"/45




* Gasoline / oil mixture in 2 cycles in the proportion of: 25; 1
* Oil tank capacity: 260ML
* Fuel tank capacity: 550ML
* Cylindrical capacity: 52cc
* Engine type: two-stroke, air cooling
* Maximum engine power: 2.2 KW
* Engine power: 2.99 hp
* Ignition type: CDI
* Engine oil type: SAE # 10W-30
* Fuel type: diaphragm
* Spark plug type: L7T
* Lubrication system: adjustable automatic pump
* Rail length (inch / cm): 18"/45
* Noise level (dB): 110
* PRODUCT COLOR: Red + Black + Gray
* 1 PCS / BOX
* CE standard



TATTA®
ROBIN TOOLZ&GARDEN

# TRIMMER

## TM-430 TRIMMER



Engine type: 1E40F-5
Cylinder capacity: 52cc



Shaft length: 1500 mm



Engine max. power: 3.5 Kw
Engine power: 4.76 HP



Fuel tank
capacity: 1200 ml



* Gasoline / oil mixture in 2 cycles in the proportion of: 25; 1
* Shaft diameter: 28mm
* Shaft length: 1500mm
* Fuel tank capacity: 1200ML
* Cylinder capacity: 43cc
* Engine type: 1E40F-5
* Engine type: 2 strokes
* Maximum motor POWER: 2.5 KW
* Engine power: 3.4 hp
* Engine speed at load: 9000 rpm
* Idle speed: 3000 rpm
* PRODUCT COLOR: Blue + Gray (No. 9c)
* CE standard

## TM44-5 TRIMMER



Engine type: 1E40F-5
Cylinder capacity: 52cc



Shaft length: 1500 mm



Engine max. power: 3.5 Kw
Engine power: 4.76 HP



Fuel tank
capacity: 1200 ml



* Gasoline / oil mixture in 2 cycles in the proportion of: 25; 1
* Shaft diameter: 28mm
* Shaft length: 1500mm
* Fuel tank capacity: 1200ML
* Cylinder capacity: 52cc
* Engine type: 1E40F-5
* Engine type: 2 strokes
* Maximum motor POWER: 3.5 KW
* Engine power: 4.76 hp
* Engine speed at load: 9000 rpm
* Idle speed: 3000 rpm
* PRODUCT COLOR: Red + Gray (No. 9c)
* CE standard

TATTA®
ROBIN TOOLZ&GARDEN

# TRIMMER

## TM-452-7 TRIMMER


Alloy blade 40T
Metal blade 37


Mixture fuel tank


Owner's manual
brush cutters kraft line


Shaft length 1500mm



* Nylon line (15m/2.4mm round line)
* 40T alloy blade
* Double shoulder strap
* Glove
* 3T metal blade
* Komastu nylon cutter
* Mixture fuel tank
* Tools bag

* Owner's manual brush cutters kraft line
* Gasoline/2-cycle oil mixing ratio 25;1
* Shaft diameter 26 or 28mm
* Shaft length 1500mm
* Fuel tank capacity 1200ML
* Displacement 42.2 cc
* Engine type 1E40F-5
* Product power 1200W

## TM-462-9 TRIMMER


Engine tip 1E40F-5


Product power 1200W


Fuel tank capacity 1200ML


Shaft length: 1500mm



* Gasoline/2-cycle oil mixing ratio: 25:1
* Shaft diameter: 28mm
* Shaft length: 1500mm
* Fuel tank capacity: 1200ml
* Displacement: 52cc
* Engine type: 1E44F-5
* Power: 3.5KW
* Product color: green+ grey (No.422c)
* CE standard
* Engine type 1E40F-5
* Product power 1200W

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# TRIMMER BLADE



## TT-1001 TRIMMER BLADE

* Size :255*25.4*40T
* Thickness:1.25MM
* Material: Iron
* Function: grass cutting



## TT-1002 TRIMMER BLADE

* Size :230*25.4*40T
* Thickness:1.25MM
* Material: Iron
* Function: grass cutting



## TT-1003 TRIMMER BLADE

* Size :255*3T*25.4
* Thickness:1.65MM
* Material: Iron
* Function: Grass cutting



## TT-1004 TRIMMER BLADE

* Size :12" * 2T
* Thickness:1.6MM
* Material: Iron
* Function : Grass cutting

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# TRIMMER WIRE




## TT-2001 RECTANGULAR TRIMMER WIRE

* Compatible with most trimmer models.
* Pruning longer than normal line.
* Premium trimmer wire for cutting.




## TT-2002 RECTANGULAR TRIMMER WIRE

* Compatible with most trimmer models.
* Pruning longer than normal line.
* Premium trimmer wire for cutting.




## TT-2003 RECTANGULAR TRIMMER WIRE

* Compatible with most trimmer models.
* Pruning longer than normal line.
* Premium trimmer wire for cutting.




## TT-2004 RECTANGULAR TRIMMER WIRE

* Compatible with most trimmer models.
* Pruning longer than normal line.
* Premium trimmer wire for cutting.

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# TRIMMER WIRE




## TT-2005 RECTANGULAR TRIMMER WIRE

* Compatible with most trimmer models.
* Pruning longer than normal line.
* Premium trimmer wire for cutting.




## TT-2006 RECTANGULAR TRIMMER WIRE

* Compatible with most trimmer models.
* Pruning longer than normal line.
* Premium trimmer wire for cutting.




## TT-2007 ROUND TRIMMER WIRE

* Compatible with most trimmer models.
* Pruning longer than normal line.
* Premium trimmer wire for cutting.




## TT-2008 RECTANGULAR TRIMMER WIRE

* Compatible with most trimmer models.
* Pruning longer than normal line.
* Premium trimmer wire for cutting.

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# FIR TRIMMER




## TT-2009 RECTANGULAR TRIMMER WIRE

* Compatible with most trimmer models.
* Pruning longer than normal line.
* Premium trimmer wire for cutting.




## TT-2010 RECTANGULAR TRIMMER WIRE

* Compatible with most trimmer models.
* Pruning longer than normal line.
* Premium trimmer wire for cutting.




## TT-2011 RECTANGULAR TRIMMER WIRE

* Compatible with most trimmer models.
* Pruning longer than normal line.
* Premium trimmer wire for cutting.

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# TRIMMER WIRE





## TT-2020 CHAIN TRIMMER HEAD

* Compatible with most trimmer models.
* Pruning longer than normal line.
* Premium trimmer wire for cutting.

## TT-2025 ALUMINUM CLUTCH DRUM

* Compatible with most trimmer models.
* Pruning longer than normal line.
* Premium trimmer wire for cutting.



**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# ELECTRIC HAMMER MILL




THE PERFECT SOLUTION IN YOUR HOUSEHOLD!

TATTA® ROBIN TOOLZ&GARDEN

# ELECTRIC HAMMER MILL

## TM-11 B ELECTRIC HAMMER MILL NO.2, CLASSIC TANK






Grinding capacity: 240kg/h



Large cast iron basket



Number of hammers: 16



Engine power: 2.5Kw

* Cast iron basket
* Grinding capacity: 240kg / h
* Dimensions / length of power cord: copper cable 3g 1 .0mm2 x 1 m; European VDE plug with two pins
* Frequency: 50hz
* Voltage: 220-230V alternating current* Motor power: 2.5kw
* Engine speed (rpm): 3000
* Number of sieves: 3
* Number of hammers: 16
* Transmission: direct
* Field of use: corn, wheat, barley, whole cobs, middlings
* Weight (kg): 23.4
* CE standard

## TM-11 D ELECTRIC HAMMER MILL NO.3, LARGE TANK





Grinding capacity: 240kg/h



Large cast iron basket



Number of hammers: 16



Engine power: 2.5Kw

* Cast iron basket
* Grinding capacity: 240kg / h
* Dimensions / length of power cord: copper cable 3g 1 .0mm2 x 1 m; European VDE plug with two pins
* Frequency: 50hz
* Voltage: 220-230V alternating current
* Motor power: 2.5kw
* Engine speed (rpm): 3000
* Number of sieves: 4
* Number of hammers: 16
* Transmission: direct
* Field of use: fruits, cereals (wheat, barley, rye), roots (beets, carrots, squash, potatoes), fodder
* Weight (kg): 23.4
* CE standard

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# ELECTRIC HAMMER MILL

## TM-11 E ELECTRIC HAMMER MILL NO.4, LARGE TANK





Grinding capacity: 240kg/h



Large cast iron basket



Number of hammers: 16



Engine power: 2.5Kw

* Cast iron basket
* Grinding capacity: 240kg / h
* Dimensions / length of power cord:
copper cable 3g 1 .0mm2 x 1 m; European VDE plug with two pins
* Frequency: 50hz
* Voltage: 220-230V alternating current
* Motor power: 2.5kw
* Engine speed (rpm): 3000
* Number of sieves: 5
* Number of hammers: 16
* Transmission: direct
* Field of use: alfalfa, straw, fodder (corn, wheat, whole cobs, etc.)
* Weight (kg): 24
* CE standard

## TM-15 G ELECTRIC HAMMER MILL NO.2, LARGE TANK





Grinding capacity: 240kg/h



Large cast iron basket



Number of hammers: 16



Engine power: 2.5Kw

* Cast iron basket
* Grinding capacity: 240kg / h
* Dimensions / length of power cord:
copper cable 3g 1 .0mm2 x 1 m; European VDE plug with two pins
* Frequency: 50hz
* Voltage: 220-230V alternating current
* Motor power: 2.5kw
* Engine speed (rpm): 3000
* Number of sieves: 3
* Number of hammers: 16
* Transmission: direct
* Field of use: corn, wheat, barley, whole cob, middlings
* Weight (kg): 23.4
* CE standard

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# CAR START ROBOT, BATTERY RECTIFIER




**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# CAR START ROBOT, BATTERY RECTIFIER

## TI-600 CAR START ROBOT, INDUSTRIAL BATTERY RECTIFIER





Charging and starting timing


Compatible with lead-acid 12/24V batteries


Reference capacity (Ah):20-1000Ah


Fast charging set of switches for different charging amperages


Circuit breaker for safe charging

* Charging, starting and timing,
* Compatible with 12 / 24v lead-acid batteries,
* Fast charging, set of switches for different charging amperages,
* circuit breaker for safe charging
* Dimensions / length of power cable: copper cable 3 1.5mm2, outside 1.6m; European vde type two-pin plug
* Output cable dimensions / length: 12mm2 * 1.8m, 12mm2 * 1.8m
* Reference capacity (ah): 20-1000ah
* Rated starting current (a): 540a
* Rated charging current (a): 50a
* Frequency: 50 / 60hz
* Voltage: 220-240v alternating current
* Charging voltage (v): 12 / 24v * Power: 2.0 kw
* CE standard

## TI-50R ROBOT PORNIRE AUTO, REDRESOR BATERII PROFESIONAL




Charging and starting timing


Compatible with lead-acid 12/24V batteries


Reference capacity (Ah):20-700Ah


Fast charging set of switches for different charging amperages


Circuit breaker for safe charging

* Charging, starting and timing,
* Compatible with 12 / 24v lead-acid batteries,
* Fast charging, set of switches for different charging amperages,
* Circuit breaker for safe charging
* Dimensions / length of power cable: copper cable 3 1.5mm2, outside 1.6m; European vde type two-pin plug
* Output cable dimensions / length: 10mm2 * 1.8m, 10mm2 * 1.8m
* Reference capacity (ah): 20-700ah
* Rated starting current (a): 180a
* Rated charging current (a): 30a
* Frequency: 50 / 60hz
* Voltage: 220-240v alternating current
* Charging voltage (v): 12 / 24v
* Power: 0.6 kw

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# INVERTER WELDING MACHINE



THE PERFECT SOLUTION IN YOUR HOUSEHOLD!

TATTA® ROBIN TOOLZ&GARDEN

# INVERTER WELDING MACHINE

## TA-MMA-200 PRACTICAL INVERTER WELDING MACHINE





Digital display


Thermal protection


Anti-stick function hot start


Accessories Welding mask, brush


Usable electrode (mm): 1.6-3.2mm

* Digital display,
* Thermal protection,
* Built-in electric arc,
* Anti-sticking function, hot start,
* Electrode holder 200A + 14mm2 * 1.6M,
* Earth clamp 200A + 14mm2 * 1.3M,
* Welding mask, Brush
* Dimensions / length power cable copper cable 3
* 1.5mm2, OUTSIDE 1.2M; European two-pin VDE plug
* Output cable dimensions / length: 14mm2 * 1.6M, 14mm2 * 1.3M
* Working cycle: 60%
* Efficiency (%): 85
* Power factor: 0.93

* Minimum power / grid capacity (KVA): 4.5
* Minimum power / generator capacity (KVA): 10.5
* Input Protection / Safety (A): 40
* Input protection / circuit breaker (A): 40
* Power consumption (KVA): 7.1
* Output voltage (V): 28
* Welding current (A): 200
* Idle voltage (V): 80
* Usable electrode (mm): 1.6-3.2mm
* Frequency: 50 / 60HZ
* Voltage: alternating current 220-240V
* Output current adjustment (A): 20-200
* CE standard

## TA-MMA-250 PREMIUM INVERTER WELDING MACHINE





Digital display


Thermal protection


Anti-stick function hot start


Accessories Welding mask, brush


Usable electrode (mm): 1.6-3.2mm

* Digital display,
* Thermal protection,
* Built-in electric arc,
* Anti-sticking function, hot start,
* Electrode holder 200A + 14mm2 * 1.6M,
* Earth clamp 200A + 14mm2 * 1.3M,
* Welding mask, Brush
* Dimensions / length power cable copper cable 3
* 1.5mm2, OUTSIDE 1.2M; European two-pin VDE plug
* Output cable dimensions / length: 14mm2 * 1.6M, 14mm2 * 1.3M
* Working cycle: 60%
* Efficiency (%): 85
* Power factor: 0.93

* Minimum power / grid capacity (KVA): 5
* Minimum power / generator capacity (KVA): 14
* Input Protection / Safety (A): 50
* Input protection / circuit breaker (A): 53
* Power consumption (KVA): 9,5
* Output voltage (V): 30
* Welding current (A): 250
* Idle voltage (V): 70
* Usable electrode (mm): 1.6-3.2mm
* Frequency: 50 / 60HZ
* Voltage: alternating current 220-240V
* Output current adjustment (A): 20-250
* CE standard

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA® ROBIN TOOLZ&GARDEN

# INVERTER WELDING MACHINE

## TA-MMA-300 SMART INVERTER WELDING MACHINE





Fully equipped with functions such as thermal protection, overload protection, anti-stick, electric arc, VRD.


Suitable for a high range of voltages between 160V-260V


Energy saving


Accessories: Support for electrode 200A + 16mm2 * 1.3m, grounding clip 200A + 16mm2 * 1.3m, Welding mask, Brush



Minimum Power Capacity / grils (kva): 5.5

* Self-test at start-up (POST). When the appliance is switched on, the system performs a complete inspection and test of the welding conditions, which protects the components, especially the key components such as IGBT inverter, diode, capacitors, circuit board, etc.
* Fully equipped with functions such as thermal protection, overload protection, anti-stick, electric arc, VRD.
* Suitable for a wide voltage range, between 160V-260V.
* Energy saving. If the welding machine is not used for a few minutes, the machine will automatically enter sleep mode. If you do not use the appliance even after it enters sleep mode, the appliance will switch off automatically.
* Acid welding electrodes and alkaline (basic) electrodes can be used for welding
* Accessories: Electrode holder 200A + 16mm2 * 1.6M, grounding clip 200A + 16mm2 * 1.3M, Welding mask, Brush
* DIMENSIONS / LENGTH OF POWER CABLE: COPPER CABLE 3 * 1.5mm2, OUTSIDE 1.6M; European two-pin VDE type plug
* Output cable size / length: 16mm2 * 1.6M, 16mm2 * 1.3M
* WORKING CYCLE: 60%
* Efficiency (%): 85
* Power factor: 0.93
* Usable electrode (mm): 1.6-4.0 mm
* FREQUENCY: 50 / 60HZ
* VOLTAGE: alternating current 160-260V
* Output current adjustment (A): 20-300
* Minimum power capacity / grid (kva): 5.5
* Minimum power / generator capacity (KVA): 14
* Input Protection / Safety (A): 50
* Input protection / circuit breaker (A): 53
* Power consumption (KVA): 9.5
* Output voltage (V): 30
* Welding current (A): 300
* Idle voltage (V): 70
* CE standard




## TA-AS120 SMART INVERTER WELDING MACHINE



Digital display


Thermal protection


Anti-stick function hot start


Usable electrode (mm): 200A + 14mm²*1,3M

* Digital displayer
* Thermal protection
* Built-in arc force
* Anti-stick, hot start
* 200A electrode holder+14mm²*1.6M
* 200A earth clamp+14mm²*1.3M, Face mask, Brush

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# INVERTER WELDING MACHINE

## TA-AS160

### SMART INVERTER WELDING MACHINE






Power ON self test



Thermal protection



Sleep mode



Usable electrode (mm): 200A + 16mm²*1,6M

Electrod utilizabil(mm): 200A + 16mm²*1,6M

* Power ON self test (POST). when machine switched on , the system does full inspection and testing on welder conditions , that protect components especially key components like IGBT , diode , capacitors , circuit board , etc .
* Full functions with thermal protection , over load protection , anti-stick , arc force , VRD .
* Suitable for a wide range of voltage from 160V-260V .
* Energy saving . if the welder not in use for few minutes , the welder will automotically switch to sleep mode . if still not use after sleep mode , the welder will swtich off automatically .
* Can be used to welder acid electrode rod and alkaline (basic ) electrode rod .
  Accessories：200A electrode holder+16mm²*1.6M,
  200A earth clamp+16mm²*1.3M, Face mask, Brush

## TA-AS200I

### SMART INVERTER WELDING MACHINE






Power ON self test



Thermal protection



Face Mask, Brush



Electrod utilizabil(mm): 200A + 25mm²*1,6M/ 300A+25mm²+1.3M

* Power ON self test (POST). when machine switched on , the system does full inspection and testing on welder conditions , that protect components especially key components like IGBT , diode , capacitors , circuit board , etc .
* Full functions with thermal protection , over load protection , anti-stick , arc force , VRD .
* Suitable for a wide range of voltage from 160V-260V .
* Energy saving . if the welder not in use for few minutes , the welder will automotically switch to sleep mode . if still not use after sleep mode , the welder will swtich off automatically .
* Can be used to welder acid electrode rod and alkaline (basic ) electrode rod .
  Accessories：200A electrode holder+25mm²*1.6M,
  300A earth clamp+25mm²*1.3M, Face mask, Brush

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# ELECTRIC CORN MILL



THE PERFECT SOLUTION IN YOUR HOUSEHOLD!

TATTA®
ROBIN TOOLZ&GARDEN

# ELECTRIC CORN MILL

## TD-5STY-40-90 ELECTRIC CORN MILL 40-90





Capacity:
240Kg/h



Motor power: 1.5kw



Motor speed: 3000 Rpm




Transmission: Belt
Field of Use:
Whole Corn Cobs

* Corn mill 5sty-40-90,
* Motor power: 1.5kw
* Engine speed: 3000 rpm
* Weight: 19.5 kg
* Capacity: 240kg / h
* Transmission: belt
* Field of use: whole corn cobs
* Dimensions / length of power cord: stator 110 x75mm
* Frequency: 50hz
* Voltage: 220-300v alternating current
* Product color: red + blue
* CE standard Capacity:

## TD-5STY-50-90 ELECTRIC CORN MILL 50-90





Capacity:
240Kg/h



Motor power: 2.2kw



Motor speed:2800 Rpm



Transmission: Belt
Field of Use:
Whole Corn Cobs

* Corn mill 5sty-50-90,
* Motor power: 2.2kw
* Engine speed: 2800 rpm
* Weight: 22.5 kg
* Capacity: 240kg / h
* Transmission: belt
* Field of use: corn
* Dimensions / length of power cord: stator 110 x75mm
* Frequency: 50hz
* Voltage: 220-300v alternating current
* Product color: red + blue
* CE standard

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# GRAPE CRUSHING VAT




THE PERFECT SOLUTION IN YOUR HOUSEHOLD!

TATTA®
ROBIN TOOLZ&GARDEN


# GRAPE CRUSHING VAT

## TZ-1801 IN STAINLESS STEEL GRAPE CRUSHING VAT





Vat capacity: 25 liters




Stainless steel material

* Tank capacity: 25 liters
* Cylinder distance (mm): 2-8
* Size (cm): 60*43*36.3
* Weight: 15 kg
* Crushing capacity: 300KG / H
* CE standard
* Green colour

## TZ-1802 VR IRON GRAPE CRUSHING VAT



Vat capacity: 20 liters



Iron material

* Tank capacity: 20 liters
* Cylinder distance (mm): 2-8
* Size (cm): 60*43*36.3
* Weight: 10.4 kg
* Crushing capacity: 300KG / H
* CE standard
* Green colour

# GRAPE CRUSHING VAT

## TZ-1802 RS IRON GRAPE CRUSHING VAT






Vat capacity: 20 liters



Iron material

* Tank capacity: 20 liters
* Cylinder distance (mm): 2-8
* Size (cm): 60*43*36.3
* Weight: 10.4 kg
* Crushing capacity: 300KG / H
* CE standard
* Red colour



**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# CENTRIFUGAL PUMP



THE PERFECT SOLUTION IN YOUR HOUSEHOLD!

TATTA® ROBIN TOOLZ&GARDEN

# CENTRIFUGAL PUMP



## TPS-100 Submersible pump



Max. depth
60m



Max. Debit
45l/hour.



Power
750w



Motor
Copper

* Power: 0.75 KW.
* Copper motor.
* Oil engine.
* Stator - 92 *110mm, brass head + connection,
* 1 brass rotor, S / S body, S / S screw, G1.
* Voltage: 220V. Noise level: 50Hz.
* Cable length: 15m * 0.75mm + Euro plug.



## TPS-150 Submersible pump



Max. depth
60m



Max. Debit
45l/hour



Power
1100w



Motor
Copper

* Power: 1.1 KW.
* Copper motor.
* Oil engine.
* Stator - 92 *130mm, brass head + connection,
* 2 brass rotor, S / S body, S / S screw, G1.
* Voltage: 220V. Noise level: 50Hz.
* Cable length: 5m * 1.1mm + Euro plug.

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# CENTRIFUGAL PUMP

## TT-PA300 Self-priming pump


Max. Debit
3.0m³/hour.


Max. depth
45m


Power
750w


Outlet
1 inch.



* 1 inch outlet.
* Max. Depth 45m.
* Max. Flow rate 3.0m3 / hour.
* Power: 750W.
* Voltage: 220-240V.
* Noise level: 50Hz.
* Cable length: 0.5m.




## TT-PAM300 Dirty water pump


Max. Depth
8m


Max. Debit
12m³/hour.


Power
750w


Outlet
2 inch.

* 2 inch outlet.
* Max. Depth 8m.
* Max. Flow rate 12m3 / hour.
* Power: 750W. Voltage: 220-240V.
* Noise level: 50Hz.
* Cable length: 10m.

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**


# CENTRIFUGAL PUMP



## TT-PSS360 Screw submersible pump




Depth
80m.



Max. Debit
1.2m³/hour.



Power
550w



Stainless steel
body

* Stainless steel screw.
* Stainless steel body.
* 1 inch outlet. Max.
* Depth 80m.
* Max. Flow rate 1.2m3 / hour. Cable length: 15m.
* Power: 550W.
* Voltage: 220-240V.
* Noise level: 50Hz.



## TT-PSAM303 Dirty water submersible pump



Power
750w



Automatic
On/off Floator



Miniature Thermal
Protector(Mtp)



Automatic reset
function

* Automatic floater / automatic stop.
* Each engine is provided
* With a thermal protector (MTP).
* Automatic reset function.
* Power: 750W.
* Voltage: 230V.
* Noise level: 50Hz.

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# CENTRIFUGAL PUMP

## TT-PP310 Peripheral pump


Max. depth
24-28m


Max. Debit
1.8m³/hour.


Power
300w


Outlet
1 inch.




* 1 inch outlet.
* Max. Depth 24-28m.
* Max. Flow rate 1.8m3 / hour.
* Power: 300W.
* Voltage: 220-240V.
* Noise level: 50Hz.
* Cable length: 0.5m.


## TT-PC320 Centrifugal pump


Max. depth
23m


Max. Debit
5.4m³/hour.


Power
650w


Outlet
1 inch.



* 1 inch outlet.
* Max. Depth 23m.
* Max. Flow rate 5.4 m3 / hour.
* Power: 650W.
* Voltage: 220-240V.
* Noise level: 50Hz.
* Cable length: 0.5m.


**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA® ROBIN TOOLZ&GARDEN

# CENTRIFUGAL PUMP

## TT-PS370 Submersible pump





Max. depth
13-14m



Max. Debit
1.5m³/hour.



Power
370w



Outlet
1 inch.

* 1 inch outlet.
* Max. Depth 13-14m.
* Max. Flow rate 1.5m3 / hour.
* Power: 370W.
* Voltage: 220-240V.
* Noise level: 50Hz.
* Cable length: 8m.

## TT-PS375 Submersible pump





Max. depth
13-14m



Max. Debit
1.5m³/hour.



Power
370w



Outlet
1 inch.

* 1 inch outlet.
* Max. Depth 13-14m.
* Max. Flow rate 1.5m3 / hour.
* Power: 370W.
* Voltage: 220-240V.
* Noise level: 50Hz.
* Cable length: 8m.

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA® ROBIN TOOLZ&GARDEN

# CENTRIFUGAL PUMP

## TT-PSAM304 Dirty water submersible pump






Power
900w



Automatic
On/off Floator



Miniature Thermal
Protector(Mtp)



Automatic reset
function

* Automatic floater / automatic stop.
* Each engine is provided
* With Automatic Reset Function.
* Power: 900W.
* Voltage: 230V.
* Noise level: 50Hz.

## TT-PH340 Self-priming hydrophore pump




Max. Debit
3.0m$^3$/hour.




Max. depth
40m.



Power
650w



Outlet
1 inch.



* 1 inch outlet.
* Max. Depth 40m.
* Max. Flow rate 3.0m3 / hour.
* Power: 650W.
* Voltage: 220-240V.
* Noise level: 50Hz.
* Cable length: 0.5m.

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA® ROBIN TOOLZ&GARDEN

# CENTRIFUGAL PUMP

## TT-PAM301 Submersible pump





Max. depth
10m



Max. Debit
12m$^3$/oră.



Power
550w



Outlet
2 inch.

* 2 inch outlet.
* Max. Depth 10m.
* Max. Flow rate 12m3 / hour.
* Power: 550W.
* Voltage: 220-240V.
* Noise level: 50Hz.
* Cable length: 10m

## TT-PAM302 Submersible pump





Max. depth
12-14m



Max. Debit
12m$^3$/oră.



Power
750w



Outlet
2 inch.

* 2 inch outlet.
* Max. Depth 12-14m.
* Max. Flow rate 12m3 / hour.
* Power: 750W.
* Voltage: 220-240V.
* Noise level: 50Hz.
* Cable length: 10m

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA® ROBIN TOOLZ&GARDEN

# CENTRIFUGAL PUMP

## TT-PS380 Submersible pump





Max. depth
18m



Max. Debit
1.5m³/oră.



Power
550w



Outlet
1 inch.

* 1 inch outlet.
* Max. Depth 18m.
* Max. Flow rate 1.5 m3 / hour.
* Power: 550W.
* Voltage: 220-240V.
* Noise level: 50Hz.
* Cable length: 8m.

## TT-PS385 Submersible pump





Max. depth
18m



Max. Debit
1.5m³/oră.



Power
550w



Outlet
1 inch.

* 1 inch outlet.
* Max. Depth 18m.
* Max. Flow rate 1.5 m3 / hour.
* Power: 550W.
* Voltage: 220-240V.
* Noise level: 50Hz.
* Cable length: 8m.

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA® ROBIN TOOLZ&GARDEN

# CENTRIFUGAL PUMP

## TT-PS390 Submersible pump





Max. depth
26-28m.



Max. Debit
1.5 $m^3$/oră



Power
750w



Outlet
1 inch.

* 1 inch outlet.
* Max. Depth 26-28m.
* Max. Flow rate 1.5 m3 / hour.
* Power: 750W.
* Voltage: 220-240V.
* Noise level: 50Hz.
* Cable length: 8m

## TT-PS395 Submersible pump





Max. depth
26-28m.



Max. Debit
1.5 $m^3$/oră



Power
750w



Outlet
1 inch.

* 1 inch outlet.
* Max. Depth 26-28m.
* Max. Flow rate 1.5 m3 / hour.
* Power: 750W.
* Voltage: 220-240V.
* Noise level: 50Hz.
* Cable length: 8m

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

# CENTRIFUGAL PUMP


## TT-PSV350 Submersible vibrating pump


Max. Debit
1.8 $M^3$/hour.


Max. depth
70m.


Power
500w


Outlet
1/2 inch.




* 1/2 inch outlet.
* Depth 70m.
* Max. Flow rate 1.08m3 / hour.
* Power: 500W.
* Voltage: 220-240V.
* Noise level: 50Hz. Cable length: 10m



**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# WATER PUMP



THE PERFECT SOLUTION IN YOUR HOUSEHOLD!

TATTA® ROBIN TOOLZ&GARDEN

# WATER PUMP

## TT-PA305 Water Pump



Engine model
168FB (7hp)



Fuel tank capacity L : 4



Engine type: OH forced cooler
OH 4 strokes



Maximum flow (m3/h): 36




* Suction and discharge port diam. (mm): 50 (2 ").
* Maximum head (m): 26.
* Maximum suction (m): 26.
* Maximum flow (m3 / h): 36.
* Engine model: 168FB (7HP).
* Engine type: 4-stroke OH forced cooler.
* Maximum depth: 9m.
* Fuel tank capacity (L): 4.
* Starting system: kickback. Starter
* Total size L W * H (mm): 48 * 38 * 40.
* Weight (kg): 22.5. Voltage: 220-240V. Frequency: 50-60Hz

Engine model
168FB (6,5hp)

Fuel tank capacity L : 4

Engine type: OH forced cooler
OH 4 strokes

Maximum flow (m3/h): 36

## TT-PA306 Water Pump



Engine model
168FB (6,5hp)



Fuel tank capacity L : 4



Engine type: OH forced cooler
OH 4 strokes



Maximum flow (m3/h): 36




* Suction and discharge port diam. (mm): 50 (2 ").
* Maximum head (m): 26.
* Maximum suction (m): 26.
* Maximum flow (m3 / h): 36.
* Engine model: 168FB (6.5HP).
* Engine type: 4-stroke OH forced cooler.
* Maximum depth: 9m.
* Fuel tank capacity (L): 4.
* Starting system: kickback. Starter
* Total size L W * H (mm): 48 * 38 * 40.
* Weight (kg): 22.5. Voltage: 220-240V. Frequency: 50-60Hz.

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# DRILL

## TT-MB520 Drill



Engine type: 1E44F-5



Fuel tank capacity : 1.2L



Engine type:air-cooled,
2-stroke,air-cooling



Gasoline/2-cycle
oil mixing ratio:25:1



* Power: 1200W
* Engine type: 1E44F-5
* Fuel tank capacity: 1200ML
* Gasoline/2-cycle oil mixing ratio: 25:1
* Engine:1E44F-5
* Engine type:air-cooled,2-stroke,air-cooling
* Displacement:51.7cc
* Rated output Power:2.2kW
* Fuel tank capacity:1.2L
* Gasoline/2-cycle oil mixing ratio:25:1



**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

TATTA®
ROBIN TOOLZ&GARDEN

# ATOMIZER SPRAYER




**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

# TT-A14 PO Atomizor





Puterea motorului: 1.83kW.



Volumul de descărcare: Volumul de praf (kg / min): 0-6 Volumul de pulverizare (L / min): 0-4.



Capacitatea rezervorului de combustibil: 1,5L.



Poate pulveriza atât lichid cât și pulbere

TT-A14 BL
TT-A14 GR
TT-A14 RS

* Capacitate: 14 litri. Viteza de rotire: 7500r / min.
* PUTEREA motorului: 1.83kW.
* Volumul de descărcare: Volumul de praf (kg / min): 0-6 Volumul de pulverizare (L / min): 0-4.
* Capacitatea rezervorului de combustibil: 1,5L.
* GAMA DE NIVEL: 12M.
* Raport de amestecare benzină / 2 cicluri ulei: 25; 1.
* Poate pulveriza atât lichid cât și pulbere

# TT-A20 PO Atomizor





Puterea motorului: 1.83kW.



Volumul de descărcare: Volumul de praf (kg / min): 0-6 Volumul de pulverizare (L / min): 0-4.



Capacitatea rezervorului de combustibil: 1,5L.



Poate pulveriza atât lichid cât și pulbere

TT-A20 BL
TT-A20 GR
TT-A20 RS

* Capacitate: 20 litri. Viteza de rotire: 7500r / min.
* PUTEREA motorului: 1.83kW.
* Volumul de descărcare: Volumul de praf (kg / min): 0-6 Volumul de pulverizare (L / min): 0-4.
* Capacitatea rezervorului de combustibil: 1,5L.
* GAMA DE NIVEL: 12M.
* Raport de amestecare benzină / 2 cicluri ulei: 25; 1.
* Poate pulveriza atât lichid cât și pulbere

TATTA®
ROBIN TOOLZ&GARDEN

# WATERPROOF DRESS



## TT-H185 Waterproof Dress


Material :SF


Waterproof gowns


Gram:183g

* Waterproof gowns
* Material :SF
* Size : XL
* Gram :183g
* Function :Dustproof and waterproof



## TT-H190 Waterproof Dress


Material :SF


Waterproof gowns


Gram:200g

* Waterproof gowns
* Material :SF
* Size : X2L
* Gram :200g
* Function :Dustproof and waterproof



## TT-H195 Waterproof Dress


Material :SF


Waterproof gowns


Gram:218g

* Waterproof gowns
* Material :SF
* Size : 3XL
* Gram :218g
* Function :Dustproof and waterproof

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**



## TT-MP(MASG) Mask



Metarial: PVC



Filter dust



nti-smoke and eye protection



Anti-virus

* Filter dust,
* Anti-virus,
* Anti-smoke and eye protection



## TT-B-300 Drill Bit



Material: amina 65manganese



Blade Q235



Size : L
length 800mm,
diameter 300mm



Function :ground auger

* Size :length 800mm,diameter 300mm
* Material :lamina 65manganese
* Blade Q235
* Thickness :300mm
* Function :ground auger



## TT-B-150 Drill Bit



Material: lamina 65 mangan



Blade Q235



Size: L
lenght: 800mm,
diameter: 150mm



Function :ground auger

*Size :L length 800mm,diameter 150mm
*Material :lamina 65manganese
*Blade Q235
*Thickness :150mm
*Function :ground auger

TATTA®
ROBIN TOOLZ&GARDEN

# FURTUNA FARA CAP METAL



## TT-B-100 Drill Bit



Material: lamina 65 mangan



Blade Q235



Size : L
length 800mm
diameter 100mm




Function : ground auger


* Size :length 800mm,diameter 100mm
* Material :lamina 65manganese
* Blade Q235
* Thickness: 100mm
* Function :ground auger




## TT-PV-2011 PVC Layflat Hose, 1"x50m




Interlayer high strength polyester yarn



Use for water conveyance in farmland



Inside and outside were coated by PVC




Dimension: 1"*50


* Interlayer high strength polyester yarn, inside and outside were coated by PVC
* Use for water conveyance in farmland and sewage discharge in construction sites
* Dimension: 1"*50




## TT-PV-2012 PVC Layflat Hose, 2"x50m




Interlayer high strength polyester yarn



Use for water conveyance in farmland



Inside and outside were coated by PVC



Dimension: 2"*50

* Interlayer high strength polyester yarn, inside and outside were coated by PVC
* Use for water conveyance in farmland and sewage discharge in construction sites
* Dimension: 2"*50

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**

## TT-F-2013 Fire Hose 1″x20m





Interlayer
high strength polyester yarn



Use for water conveyance
in farmland



Inside and outside
were coated by PVC



Dimension: 1″*20M

* Interlayer high strength polyester yarn, inside and outside were coated by PVC
* Use for water conveyance in farmland and sewage discharge in construction sites
* Dimension: 1″*20

## TT-F-2014 Fire Hose 2″x20m





Interlayer
high strength polyester yarn



Use for water conveyance
in farmland



Inside and outside
were coated by PVC



Dimension: 2″*20M

* Interlayer high strength polyester yarn, inside and outside were coated by PVC
* Use for water conveyance in farmland and sewage discharge in construction sites
* Dimesion: 2″*20

## TT-C-2015 Fire Hose 1"x20m





Interlayer
high strength polyester yarn



Use for water conveyance
in farmland



Inside and outside
were coated by PVC



Dimension: 1"*20M

* Interlayer high strength polyester yarn, inside and outside were coated by PVC
* Use for water conveyance in farmland and sewage discharge in construction sites
* Dimesion: 2"*20

## TT-C-2016 Fire Hose 2"x20m





Interlayer
high strength polyester yarn



Use for water conveyance
in farmland



Inside and outside
were coated by PVC



Dimension: 1"*20M

* Interlayer high strength polyester yarn, inside and outside were coated by PVC
* Use for water conveyance in farmland and sewage discharge in construction sites
* Dimesion: 2"*20

TATTA®
ROBIN TOOLZ&GARDEN



THE PERFECT SOLUTION IN YOUR HOUSEHOLD!

TATTA®
ROBIN TOOLZ&GARDEN



**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**


TATTA®
ROBIN TOOLZ&GARDEN

TATTA®

ROBIN TOOLZ&GARDEN

Bervin

**EUROPEAN FREE ZONE**
Karamehmet Mah. Avrasya Bulvarı No:15 Ergene-TEKIRDAG/TURKEY
+90 282 691 10 09

**www.hausberg.com.tr**

**THE PERFECT SOLUTION IN YOUR HOUSEHOLD!**