CHULUX®

2024

HONG KING GROUP LIMITED

Better Kitchen Easy Life



HONG KING GROUP LIMITED

Contact us　Website URL Code

Headquater
Hong King Group Limited
SHENZHEN CHULUX ELECTRIC APPLIANCE CO.,LTD
No.033,2/F, B Block, Logan Century Building, South of Xinghua Road, Bao'an District, Shenzhen, China
Tel: 86-755-8212 4858/8212 4856
Email: sophia@hongking.com.hk

PROFILE

HONG KING





Hong King SET UP 2003

Hong King was established in 2003 and has been devoting in the export of kitchen appliances for 20 years, its wholly-owned factory Dongguan Zestbo Electric Appliances Co. Ltd was established on 2014.which has passed BSCI and ISO9001. Our main products include stand mixer, hand mixer, meat grinder, juicer, coffee maker and air fryer etc. Our products have got GS, CE, CB, ROHS, ETL, FDA etc certificates, and have been exported to over 100 countries and areas including Germany, US, UK, Italy, Japan, Korea and so on.

Hong King has a R&D team with over 10 years industry experiences, our professional sales team and other QC, merchandiser, designer and shipping departments can assure you of one-stop safe purchasing very easily. We have cooperated with kinds of customers: importers including Tempo and Trevidea, famous brand customers like Cuisinart, Delonghi and Bunn, chain stores like Target, department stores like Lakeland, and others online & offline.



BSCI



ISO9001



CE-EMC



CE-LVD



GS



CB



Patent



SASO





01. COFFEE MAKER page number P03-P15



03. COFFEE GRINDER page number P21-P28



05. AIR FRYER page number P37-P52



07. TABLE BLENDER page number P65-P74



09. MEAT GRINDER page number P87-P100



02. MILK FROTHER page number P16-P20



04 KETTLE & TOASTER page number P29-P36



06. JUICER page number P53-P64



08. STAND MIXER page number P75-P86

COFFEE MAKER

QF-CM827

NEW

Product features

- Power:1400W
- 20 Bar pump
- 1500ML removable water tank
- Brewing size for 6 level brewing sizes from 40-300ml
- Fits 178mm(7”)Mug under all adapters
- IMD display control panel and touch screen button
- Suitable for Dolce Gusto & Nespresso & K-cup capsule & Gound coffee

Packaging parameters

- 20GP:1008 PCS
- 40GP:2088 PCS
- 40HQ:2280 PCS

4 IN 1



touch screen IMD display control





QF-CM826

NEW

Product features

- Power: 1400W
- 20 Bar pump
- Instant heating, fast brewing coffee
- 1400ML removable water tank
- Brewing modes: hot coffee, ice coffee and tea
- Brewing size for 8 different levels
- Removable drip tray for easy clean
- Suitable for Dolce Gusto & Nespresso & K-cup capsule & Gound coffee & ESE pod

Packaging parameters


- 20GP:1008 PCS
- 40GP:2088 PCS
- 40HQ:2436 PCS

5 IN 1





Nes Adapter



DG Adapter



Support bottled water



44mm ESE Pod Adapter



Ground Coffee Adapter



k cup Adapter

1400W

20Bar

1000ML

5 in 1

5 IN 1



QF-CM823

NEW

Product features

- Power : 1400W
- 20 Bar pump
- Instant heating, fast brewing coffee
- 1000ML removable water tank
- Removable drip tray for easy clean
- Adjustable 7 level brewing size from 50-260mm
- Suitable for Dolce Gusto & Nespresso & Ground Coffee & ESE pod

Packaging parameters

- 20GP:1260 pcs
- 40GP:2520 pcs
- 40HQ:3104 pcs



Nes Adapter



DG Adapter



44 mm ESE Pod Adapter



Ground Coffee Adapter



k cup Adapter



Support bottled water

QF-CM823H

6 IN 1

Product features

- Power: 1400W
- 20 Bar pump
- Instant heating, fast brewing coffee
- 1000ML removable water tank
- With Capsule drawer
- Adjustable 7 level brewing size from 50-260mm
- Suitable for Dolce Gusto & Nespresso & Ground Coffee & ESE pod & K-cup capsule

Packaging parameters

- 20GP:1188 PCS
- 40GP:2448 PCS
- 40HQ:2856 PCS



1400W

20Bar

1000ML

6 in 1



Nes Adapter



DG Adapter



44 mm ESE Pod Adapter



Ground Coffee Adapter



k cup Adapter



Support bottled water

1200W

20Bar

600ML



QF-CM832

NEW

Product features

- Power: 1200W
- 20 Bar pump
- Instant heating,fast brewing coffee
- Fast warming up in 10s
- 500ML removable water tank
- Espresso and Lungo cup option
- Long press the lungo button to adjust the brewing size
- With flowmeter to better control the coffee flow

Drawer for 6 capsules

Packaging parameters

- 20GP:1920 PCS
- 40GP:4224 PCS
- 40HQ:4752 PCS



Coffee size choose



Brewing chamber



Detachable drip tray

QF-CM831

Product features

- Power: 1400W
- 20 Bar pump
- Fast warming up in 2s (pre-heating in 20s)
- 700ML removable water tank
- Espresso and Lungo cup option
- Long press the lungo button to adjust the brewing size
- With flowmeter to better control the coffee flow
- Drawer for 15 capsules

Packaging parameters

- 20GP:1554 pcs
- 40GP:3225 pcs
- 40HQ:3675 pcs



1400W

20Bar

700ML



1350W

20Bar

1200ML

Milk frothing



QF-EM301

Product features

- Power: 1350W
- 20 Bar pump
- 1200ML detachable transparent water tank
- Die-casting aluminum alloy boiler
- Can heat milk with steam function
- Can make espresso and cappuccino and latte
- With safety valve, can automatically release
- pressure device

Packaging parameters

- 20GP:816 pcs
- 40GP:1728 pcs
- 40HQ:2160 pcs



Coffee filter handle



Measuring scoop



Milk Frothing Tube

QF-EM301A

Product features

- Power: 1350W
- 20 Bar pump
- 1200ML detachable transparent water tank
- Die-casting aluminum alloy boiler
- Can heat milk with steam function
- Can make espresso and cappuccino and latte
- With safety valve, can automatically release pressure device

Packaging parameters

- 20GP:816 pcs
- 40GP:1728 pcs
- 40HQ:2160 pcs



1350W

20Bar

1200ML

Milk frothing

1350W

20Bar

1200ML

Milk frothing



QF-EM301D

NEW

Product features

- Power: 1350W
- 20 Bar pump
- Can make Espresso and Cappuccino
- 1200ML detachable water tank
- TFT touch control color panel
- With PCB control and digital button
- Can make espresso ,cappuccino and latt
- Hot water and steam function

Packaging parameters

- 20GP:1330 pcs
- 40GP:2800 pcs
- 40HQ:3200 pcs

QF-EM301DM

Product features

- Power: 1350W
- 20 Bar pump
- Can make Espresso and Cappuccino
- 1200ML detachable water tank
- TFT touch control color panel
- 150ml milk tank
- With PCB control and digital button
- One touch automatic make espresso ,cappuccino and latte
- Hot water and steam function
- Die-casting aluminum alloy boiler

Packaging parameters

- 20GP:1330 PCS
- 40GP:2800 PCS
- 40HQ:3200 PCS



1350W

20 Bar

1200ML

Milk frothing

1350W

20Bar

1500ML

Milk frothing



Nespresso capsules holder



QF-EM532019

NEW

Product features

- Power: 1350W
- 20Bar high pressure pump
- 1500ML food-grade removable water tank
- SS steam pipe and SS foam sleeve
- Thermoblock heating system
- Nespresso capsules holder for optional

Packaging parameters

- 20GP:820 PCS
- 40GP:1662 PCS
- 40HQ:1916 PCS

QF-EM532013

Product features

- Power:1350W
- 20 Bar high pressure pump
- 1500ML food-grade removable water tank
- SS steam pipe and SS foam sleeve
- Thermoblock heating system
- Nespresso capsule holder for optional

Packaging parameters

- 20GP:820 PCS
- 40GP:1662 PCS
- 40HQ:1916 PCS



Nespresso capsules holder



1350W

20Bar

1500ML

Milk frothing

1350W

20Bar

1500ML

Milk frothing







QF-EM532023

NEW

Product features

- PPower: 1350W
- 20 Bar pump
- Touch control pannel
- 1500ML AS transparent water tank
- Promptly thermoblock heating system
- Espresso 1 & 2 cup, Espresso Cool, Americano, Steam.
- NTC & PID temp control
- Nespresso capsules holder for optioanl

Packaging parameters

- 20GP:820 pcs
- 40GP:1662 pcs
- 40HQ:1916 pcs

QF-EM531548

Product features

- Power: 1350W
- All Stainless Steel finish
- 20Bar high pressure pump
- 1100ML food-grade removable water tank
- Brewing coffee around 26 seconds.
- Thermoblock heating system
- Nespresso capsules holder for optional



Packaging parameters

- 20GP:944 pcs
- 40GP:1860 pcs
- 40HQ:2154 pcs



1350W

20Bar

1100ML

Milk frothing

1350W

20Bar

1100ML

Milk frothing







QF-EM532024

NEW

Product features

- Power: 1350W
- 20 Bar pump
- NTC & PID temp control
- 1100ML food-grade removable transparent water tank
- SS main housing + chrome decoration
- 1 and 2 cups dual-stainless steel filters
- Nespresso capsules holder for optional

Packaging parameters

- 20GP:944 pcs
- 40GP:1860 pcs
- 40HQ:2154 pcs

QF-EM531541

Product features

- Power : 1350W
- All Stainless Steel finish
- 20 Bar high pressure pump
- 1100ML food-grade removable water tank
- Brewing coffee around 26 seconds
- Thermoblock heating system
- Nespresso capsules holder for optional



Packaging parameters

- 20GP:944 PCS
- 40GP:1860 PCS
- 40HQ:2154 PCS



1350W

20Bar

1100ML

Milk frothing

QF-EM532021

NEW

1350W

20Bar

1200ML

Milk frothing



Product features

- Power: 1360W
- 20 bar powerful pressure pump
- Thermo-block instant heating system
- 52mm porta filter
- 1200ML detachable water tank
- Diecast aluminium porta filter
- With single/double cup function
- With milk frothing function
- Modern design with metal housing

Packaging parameters

- 20GP:754 pcs
- 40GP:1562 pcs
- 40HQ:1858 pcs

QF-EM532020

NEW

Product features

- Power: 1360W
- 20 bar powerful pressure pump
- With pressure gauge
- Thermo-block instant heating system
- 52mm porta filter
- 1200ML detachable water tank
- Diecast aluminium porta filter
- With single/double cup function
- With milk frothing function
- Modern design with metal housing

Packaging parameters

- 20GP:754 pcs
- 40GP:1562 pcs
- 40HQ:1858 pcs



1360W

20Bar

1200ML

Milk frothing

1360W

20Bar

900ML

Milk frothing



QF-EM532027

NEW

Product features

- Power: 1360W
- With IMD touch screen
- 20 bar powerful pressure pump
- Thermo-block instant heating system
- 52mm porta filter
- 900ML detachable water tank
- 400ML milk tank
- Diecast aluminium porta filter
- With single/double cup function
- With espresso/milk/cappucciono function
- Modern design with full metal housing

Packaging parameters

- 20GP:1050 pcs
- 40GP:2148 pcs
- 40HQ:2509 pcs

QF-EM532026

NEW

Product features

- Power: 1360W
- With IMD touch screen
- 20 bar powerful pressure pump
- Thermo-block instant heating system
- 52mm porta filter
- 900ML detachable water tank
- 400ML milk tank
- Diecast aluminium porta filter
- With single/double cup function
- With espresso/milk/cappucciono function
- Modern design with full metal housing

Packaging parameters

- 20GP:1050 PCS
- 40GP:2148 PCS
- 40HQ:2509 PCS



1360W

20Bar

900ML

Milk frothing

QF-EM532134

NEW

1350W

20Bar

1000ML

Milk frothing



Product features

- Power: 1350W
- 20 Bar pump
- PCB control & Touch Control Panel
- Accurate NTC temperature control
- 1000ML detachable transparent water tank,
- 700ML detachable milk tank
- One button operation for small cup
- Big cup for espresso, cappuccino and Latte
- Touch screen function for on/off switch, espresso, cappuccino and latte

Packaging parameters

- 20GP:820 pcs
- 40GP:1640 pcs
- 40HQ:1940 pcs

QF-EM532130

Product features

- Power: 1350W
- 20 Bar pump
- PCB control & Touch Control Panel
- Accurate NTC temperature control
- 1000ML detachable transparent water tank,
- 700ML detachable milk tank
- One button operation for small cup
- Big cup for espresso, cappuccino and Latte
- Touch screen function for on/off switch, espresso, cappuccino and latte

Packaging parameters

- 20GP:820 pcs
- 40GP:1640 pcs
- 40HQ:1940 pcs

NEW



1350W

20Bar

1000ML

Milk frothing

QF-EM532135

NEW

1350W

20Bar

900ML

Milk frothing



Product features

- Power: 1350W
- 20 Bar high pressure pump
- Accurate NTC temperature control
- 1000ML detachable transparent water tank,
- 700ML detachable milk tank
- One button operation for small cup
- Big cup for espresso, cappuccino and Latte
- With PCB control
- Function for on/off switch, espresso, cappuccino and latte

Packaging parameters

- 20GP:820 pcs
- 40GP:1640 pcs
- 40HQ:1940 pcs

QF-EM532137

NEW

Product features

- Power: 1350W
- 20 Bar high pressure pump
- Accurate NTC temperature control
- 1800ML detachable transparent water tank,
- 500ML detachable milk tank
- One button operation for small cup
- Big cup for espresso, cappuccino and Latte
- With PCB control
- Function for on/off switch, espresso, cappuccino and latte

Packaging parameters

- 20GP:840 PCS
- 40GP:1700 PCS
- 40HQ:1840 PCS



1350W

20Bar

1800ML

Milk frothing



QF-CM801 \ QF-CM802 \ QF-CM804 \ QF-CM805 \ QF-CM807

Product features

- Power: 800W / 800W / 1000W / 800W / 800W
- 3.5 Bar pump
- Capcity: 360ML
- Basket filter
- Suitable for k cup capsule and reuseable k cup
- Reuseable k cup for optional
- Removable drip tray for easy clean

360ML

3.5Bar

20GP:3360 pcs 40GP:6912 pcs 40HQ:7776 pcs	20GP:2736 pcs 40GP:5568 pcs 40HQ:6264 pcs	20GP:1848 pcs 40GP:3696 pcs 40HQ:4500 pcs	20GP:2736 pcs 40GP:5568 pcs 40HQ:6264 pcs	20GP:2520 pcs 40GP:5544 pcs 40HQ:6336 pcs



Reusable k cup

Product features

- Support ground coffee and tea
- compatible with all our k-cup coffee machines
- Stainless steel filter
- Food grade pp material
- BPA free
- Different colors for choice

20GP:2520 pcs
40GP:5544 pcs
40HQ:6336 pcs

MILK FROTHER

NEW

QF-MF221189 | QF-MF221159 | QF-MF221160

Product features

- Power: 500W
- Heating mode:heating element
- Detachable SUS304 jug,easy cleaning
- 100-250ml for milk froth,350ml for heat milk
- Heats milk to around 65+/-5°C
- Hot milk for Cappuccino or Latte or chocolate or cold milk for iced coffee

Packaging parameters

- 20GP:4854 pcs
- 40GP:10500 pcs
- 40HQ:11550 pcs

550W

Low Noise

Cold milk

Hot milk



QF-MF221186

NEW

Product features

- Power: 550W
- Heating mode:induction heating
- Detachable SUS304 jug,easy cleaning
- 120-200ml for milk froth,120-400ml for heat milk
- Heats milk to around 65+/-5°C
- Hot milk for Cappuccino or Latte or chocolate or cold milk for iced coffee

Packaging parameters

- 20GP:3240 PCS
- 40GP:6858 PCS
- 40HQ:7620 PCS



Whisk

QF-MF221181

Product features

- Power: 550W
- Heating mode:induction heating
- Detachable SUS304 jug,easy cleaning
- 120-200ml for milk froth,120-400ml for heat milk
- Heats milk to around 65+/-5°C
- Hot milk for Cappuccino or Latte or chocolate or
- cold milk for iced coffee

Packaging parameters

- 20GP:3240 PCS
- 40GP:6858 PCS
- 40HQ:7620 PCS



Whisk



550W

Low Noise

Cold milk

Hot milk

500W

Low Noise

Cold milk

Hot milk



Whisk

QF-MF221155

Product features

- Power: 500W
- Heating mode:heating element
- Double wall design : inner s/s 304 exterior s/s 201
- 75-150ml for milk froth,75-300ml for heat milk
- Heats milk to around 65+/-5°C
- Cold or hot frothing
- Otter controller

Packaging parameters

- 20GP:5424 PCS
- 40GP:11136 PCS
- 40HQ:12900 PCS

QF-MF223BA

Product features

- Power: 500W
- Heating mode:heating element
- Double wall design : inner s/s 202 exterior s/s 201
- 75-150ml for milk froth,75-300ml for heat milk
- Heats milk to around 65+/-5°C
- Cold or hot frothing
- Strix controller

Packaging parameters

- 20GP:5880 PCS
- 40GP:12180 PCS
- 40HQ:14616 PCS



Whisk



500W

Low Noise

Cold milk

Hot milk

500W

Low Noise

Cold milk

Hot milk

NEW



QF-MF201

Product features

- Power: 500W
- Heating mode:heating element
- SUS304 milk froth jug
- 100-150ml for milk froth,300ml for heat milk
- Heats milk to around 65+/-5°C
- Hot milk for Cappuccino or Latte or chocolate or cold milk for iced coffee

Packaging parameters

- 20GP:6300 PCS
- 40GP:13020 PCS
- 40HQ:15840 PCS



Whisk

QF-MF201A

NEW

Product features

- Power: 500W
- Heating mode:heating element
- SUS304 milk froth jug
- 100-150ml for milk froth,300ml for heat milk
- Heats milk to around 65+/-5°C
- Hot milk for Cappuccino or Latte or chocolate or
- cold milk for iced coffee



500W

Low Noise

Cold milk

Hot milk

Packaging parameters

- 20GP:6300 PCS
- 40GP:13020 PCS
- 40HQ:15840 PCS



Whisk

550W

Low Noise

Cold milk

Hot milk

NEW



QF-MF221188S

Product features

- Power:550W
- Heating mode:heating element
- 100-150ml for milk froth,350ml for heat milk
- Heats milk to around 65+/-5°C
- Hot milk for Cappuccino or Latte or chocolate or
- cold milk for iced coffee or make coffee
- Moka pot material: Aluminum
- Capacity: 150ml

Packaging parameters

- 20GP:2568 PCS
- 40GP:5264 PCS
- 40HQ:6224 PCS



Whisk

QF-MF221190S

NEW

Product features

- Power:550W
- Heating mode:heating element
- 100-150ml for milk froth,350ml for heat milk
- Heats milk to around 65+/-5°C
- Hot milk for Cappuccino or Latte or chocolate or
- cold milk for iced coffee or make coffee
- Moka pot material: Aluminum
- Capacity: 150ml

Packaging parameters

- 20GP:2568 PCS
- 40GP:5264 PCS
- 40HQ:6224 PCS



550W

Low Noise

Cold milk

Hot milk

COFFEE GRINDER



200W

Strong motor

Find powder

SS Blade



QF-CG132007

NEW

Product features

- Power:200W
- #5415 Copper motor
- Capacity: 50g
- SUS304 grinding bowl & blade
- With safety switch
- One button start control for easy operation
- Transparent top lid for viewing while grinding

Packaging parameters

- 20GP:12810 PCS
- 40GP:26715 PCS
- 40HQ:29445 PCS

QF-CG131508

Product features

- Power:150W
- #5415 Copper motor
- Capacity: 50g
- SUS304 grinding bowl & blade
- With safety switch
- One button start control for easy operation
- Transparent top lid for viewing while grinding

Packaging parameters

- 20GP:10180 PCS
- 40GP:21100 PCS
- 40HQ:24720 PCS



150W

Strong motor

Find powder

SS Blade

150W

Strong motor

Find powder

SS Blade



QF-3001YM

Product features

- Power:150W
- #5415 Copper motor
- capacity :40g
- SUS304 grinding bowl & blade
- With safety switch
- One button start control for easy operation
- Transparent top lid for viewing while grinding

Packaging parameters

- 20GP:11520 PCS
- 40GP:23640 PCS
- 40HQ:27240 PCS

200W

Strong motor

Find powder

SS Blade



QF-CG132006S

NEW

Product features

- Power: 200W
- #5420 Copper motor
- Capacity: 100g
- Detachable SUS304 grinding cup
- Stainless Steel main body
- Push-top lid for easy operation
- Transparent top lid for viewing while grinding

Packaging parameters

- 20GP:11200 PCS
- 40GP:23200 PCS
- 40HQ:27200 PCS

QF-CG131506

Product features

- Power:150W
- #5420 Copper motor
- Capacity: 50g
- SUS304 grinding bowl & blade
- With safety switch
- Comfortable one-touch ON/OFF Switch
- Transparent top lid for viewing while grinding

Packaging parameters

- 20GP:11364 PCS
- 40GP:23532 PCS
- 40HQ:27588 PCS



150W

Strong motor

Find powder

SS Blade

QF-CG132006P

Product features

- Power: 200W
- #5420 Copper motor
- Capacity: 100g
- Detachable SUS304 grinding cup
- Plastic main body
- Push-top lid for easy operation
- Transparent top lid for viewing while grinding

Packaging parameters

- 20GP:11200 PCS
- 40GP:23200 PCS
- 40HQ:27200 PCS



200W

Strong motor

Find powder

SS Blade

200W

Strong motor

Find powder

SS Blade



QF-CG132008S

Product features

- Power: 200W
- #5415 Copper motor
- Capacity: 70g
- SUS304 grinding bowl & blade
- Stainless Steel main body
- With safety switch
- Push-top lid for easy operation

Packaging parameters

- 20GP:11520 PCS
- 40GP:22950 PCS
- 40HQ:2740 PCS

QF-CG131428

Product features

- Power: 300W
- #5425 Copper motor
- Capacity: 100g
- Detachable SUS304 grinding cup
- Stainless Steel main body
- Push-top lid for easy operation
- Cross blade or single blade for choose

Packaging parameters

- 20GP:5375 PCS
- 40GP:10956 PCS
- 40HQ:12816 PCS



300W

Strong motor

Find powder

SS Blade

120W

Strong motor

Find powder

SS Blade



Flat burr



QF-CG139130

NEW

Product features

- Power:120W
- #5420 motor
- Flat Burr system
- Stainless steel#304 blade
- 31 grind settings provides levels
- Rotating control button for 12 cup selection
- Coffee particle size<0.425mm is over 90%
- 250g coffee bean holder capacity
- 180g ground coffee jug capacity
- Grinding time: 60 seconds

Packaging parameters

- 20GP:2370 PCS
- 40GP:4860 PCS
- 40HQ:5700 PCS

QF-CG139132

Product features

- Power:200W
- #5420 Copper motor
- Conical Burr system
- 40mm Stainless steel#420 conical burr
- 38 grind settings provides levels
- Rotating control button for 12 cup selection
- Coffee particle size<0.425mm is over 90%
- 140g coffee bean holder capacity
- 150g ground coffee jug capacity
- Grinding time: 60 seconds

Packaging parameters

- 20GP:2688 PCS
- 40GP:5560 PCS
- 40HQ:6304 PCS

Burr grinder



200W

Strong motor

Find powder

SS Blade

165W

Strong motor

Find powder

SS Blade

Burr grinder



QF-CG139112

Product features

- Power:165W
- # 7712 DC motor
- Conical Burr system
- 40mm Stainless steel#420 conical burr
- 31 grind settings provides levels
- Digital control panel for 10 cup selection
- Coffee particle size<0.425mm is over 90%
- 275g coffee bean holder capacity
- 100g ground coffee jug capacity
- Grinding time: 40 seconds

Packaging parameters

- 20GP:1980 PCS
- 40GP:4140 PCS
- 40HQ:5040 PCS

QF-CG139137

Product features

- Power:165W
- # 7712 DC motor
- Conical Burr system
- 40mm Stainless steel#420 conical burr
- 38 grind settings provides levels
- Digital control panel for 10 cup selection
- Coffee particle size<0.425mm is over 90%
- 150g coffee bean holder capacity
- 100g ground coffee jug capacity
- Grinding time: 40 seconds

Packaging parameters

- 20GP:2262 PCS
- 40GP:3840 PCS
- 40HQ:5262 PCS

Burr grinder



165W

Strong motor

Find powder

SS Blade

100W

Strong motor

Find powder

SS Blade

Removable conical burr



QF-CG139133

Product features

- Power: 100W
- #5420 Copper motor
- Conical Burr system
- Removable stainless steel#420conical burr
- 60 grind settings provides levels
- Digital control panel for cup selection
- Coffee particle size<0.425mm is over 90%
- 300g coffee bean holder capacity
- 125g ground coffee jug capacity
- Grinding time: 40 seconds

Packaging parameters

- 20GP:1860 PCS
- 40GP:3516 PCS
- 40HQ:4206 PCS

QF-CG139138

Product features

- Power:200W
- # 3440 DC motor
- Flat Burr system,Static-free system
- 64mm Stainless steel#420 flat burr
- 100 grind settings provides levels
- Digital control panel for cup selection
- Coffee particle size<0.425mm is over 90%
- 500g coffee bean holder capacity
- Clogged powder protection

Packaging parameters

- 20GP:1320 PCS
- 40GP:2760 PCS
- 40HQ:3200 PCS

Burr grinder

NEW



200W

Strong motor

Find powder

SS Blade

KETTLE & TOASTER



QF-KT420190

Product features

- Power:2200W
- Capacity:1.7L
- Water level gauge
- Comfortable open handle with woodent hanlde
- Different selection temperature (40-60-80-90-100°C)
- Over heating protection

QF-T570152

Product features

- Power:870W
- Housing is in solid oil color
- Food size max. L126*W30 MM
- 6 browning levels and Bagel, Defrost, Cancel functions
- Automatic Evenly Fast
- Toasting - with Controllable Runs Time

QF-KT415124

Product features

- Power:1500W
- 1.7L double wall electirc kettle
- Large LED digital temperature screen
- 5 temperature setting：100°C, 90°C, 85°C, 60°C, 40°C
- Concealed heating element
- Keep warm for 24 hours



QF-T570140

Product features

- Power:900W
- Stainless steel housing
- Food size max.137*33*125mm
- Touch screen control panel
- Time watch LED display for 7 levels,7 time setting
- Defrost / reheat / cancel/ custom function with indicator light



QF-KT421165

Product features

- Power:1800W
- 1.7L stainless steel kettle
- Stainless steel #304 heating plate
- With on/off switch indicator light
- Tianming controller
- Dry boil protection
- Overheating protection

QF-T571165

Product features

- Power:750W
- 2 slice stainless steel toaster
- Functions:cancel/reheat/defrost control
- 1-6 level browning
- LED Indicator light
- Automatic switching off
- Anti-jam

QF-KT421162

Product features

- Power:1850-2200W
- 1.7L plastic Kettle
- Stainless steel #304 heating plate
- With on/off switch indicator light
- Dry boil protection
- Overheating protection



QF-T574013

Product features

- Power:1400-1700W
- 2 slice plastic toaster
- Functions:cancel/reheat/defrost control
- 1-7 level browning
- LED Indicator light
- Automatic switching off
- Anti-jam



QF-KT424013

Product features

- Power:1850-2200W
- 1.7L stainless steel kettle
- Stainless steel #304 heating plate
- With on/off switch indicator light
- Fada controller
- Dry boil protection
- Overheating protection

QF-T574013

Product features

- Power:1400-1700W
- 4 slice stainless steel toaster
- Functions:cancel/reheat/defrost control
- 1-6 level browning
- Wide slots with self-cenering guides
- LED Indicator light
- Automatic switching off
- Anti-jam

QF-KT424015

Product features

- Power:1850-2200W
- 1.7L SS Electric Kettle
- Stainless steel #304 heating plate
- With on/off switch indicator light
- Dry boil protection
- Overheating protection



QF-T574015

Product features

- Power:1500W
- 4 slice stainless steel toaster
- Functions:cancel/reheat/defrost control
- 1-7 level browning
- Wide slots with self-cenering guides
- LED Indicator light
- Automatic switching off
- Anti-jam



QF-KT421163

Product features

- Power:1850-2200W
- 1.5L Electric Kettle
- Dome Shape stainless steel body
- Stainless steel #304 heating plate
- Jiatai controller
- Dry boil protection
- Overheating protection

QF-T571163

Product features

- 220-240V 50-60Hz 685-815W
- 2slice stainless steel toaster
- Functions:cancel/reheat/defrost control
- 1-6 level browning
- LED Indicator light
- Automatic switching off
- Anti-jam

QF-KT421164

Product features

- Power:1850-2200W
- 1.7L Electric Kettle
- Stainless steel body
- Stainless steel #304 heating plate
- Sunlight controller
- Dry boil protection
- Overheating protection



QF-T571164

Product features

- Power : 850W
- 2 slice stainless steel toaster
- Functions:cancel/reheat/defrost control
- 1-6 level browning
- LED Indicator light
- Automatic switching off
- Anti-jam



QF-KT424014

Product features

- Power:1850-2200W
- 1.7L Electric Kettle
- Stainless steel #304 heating plate
- With on/off switch indicator light
- Sunlight controller
- Dry boil protection
- Overheating protection

QF-T574014

Product features

- Power:1500W
- 2 slices long slot toaster
- Functions:cancel/reheat/defrost control
- 1-6 level browning
- Wide slots with self-cenering guides
- LED Indicator light
- Automatic switching off
- Anti-jam

QF-KT421160

Product features

- Power:1850-2200W
- 1.7L Electric Kettle
- Stainless steel body
- Stainless steel #304 heating plate
- Jiatai controller
- Dry boil protection
  Overheating protection



QF-T571160

Product features

- Power: 685-815W
- 2 slice stainless steel toaster
- Functions:cancel/reheat/defrost control
- 1-6 level browning
- Self-centering function
- LED Indicator light
- Retro design with Chrome bar



QF-KT424017

Product features

- Power:1850-2200W
- 1.7L Electric Kettle
- Temperature control on handle
- Stainless steel #304 heating plate
- Keep warm setting 60°C, 70°C, 80°C, 90°C
- Strix controller
- Dry boil protection
- Overheating protection

QF-T574017

Product features

- 220-240V~50/60Hz,1550-1850W
- 4 slice stainless steel toaster
- Touch screen panel
- Functions:cancel/reheat/defrost control
- 1-7 level browning
- Wide slots with self-cenering guides
- LED Indicator light
- Automatic switching off
- Anti-jam

QF-KT424016

Product features

- Power:1850-2200W
- 1.7L Electric Kettle
- Temperature control on handl
- Stainless steel #304 heating pl
- Keep warm setting 40°C-100°C
- Jiatai controller
- Dry boil protection
- Overheating protection



QF-T574016

Product features

- 220-240V~50/60Hz,1550-1850W
- 4 slice stainless steel toaster
- Digtal screen panel
- Functions:cancel/reheat/defrost control
- 1-6 level browning
- Wide slots with self-cenering guides
- LED Indicator light
- Automatic switching off
- Anti-jam



QF-KT421159

Product features

- Power:1850-2200W
- 1.7L Electric Kettle
- Temperature control on handle
- Stainless steel #304 heating plate
- Keep warm setting 40°C-100°C
- Jiatai controller
- Dry boil protection
- Overheating protection

QF-T571159

Product features

- Power :750-900W
- 2 slice stainless steel toaster
- Screen touch LED display
- Functions:cancel/reheat/defrost control
- 1-7 level browning
- Self-centering function
- Automatic switching off
- Anti-jam

QF-KT421161

Product features

- Power:1850-2200W
- 1.7L Electric Kettle
- Temperature control on handle
- Stainless steel #304 heating plate
- Keep warm setting 40°C-100°C
- Jiatai controller
- Dry boil protection
- Overheating protection



QF-T571161

Product features

- Power :750-900W
- 2 slice stainless steel toaster
- Colored Screen touch LED display
- Functions:cancel/reheat/defrost control
- 1-7 level browning
- Self-centering function
- Automatic switching off
- Anti-jam

AIR FRYER

915W

Halogen heating system

5.5L

30-230°C

0-60 Mins



QF-AF395519

Product features

- Power: 915-1075W
- Capacity: 5.5L Glass Blow
- Baking Temperature: 30-230C
- Multifunction: Air fryer ,toaster oven ,food dehydrator
- Halogen heating element
- Liner Material: Galvanized sheet
- Indicator light

Packaging parameters

- 20GP: 540 PCS
- 40GP: 1100 PCS
- 40HQ: 1260 PCS

QF-AF395519D

Product features

- Power: 915-1075W
- Capacity: 5.5L Glass Blow
- Baking Temperature: 30-230C
- 10 preset programs
- Halogen heating element
- Liner Material: Galvanized sheet
- Indicator light

Packaging parameters

- 20GP: 540pcs
- 40GP: 1100pcs
- 40HQ: 1260pcs

Halogen heating system

915W

5.5L

30-230°C

0-60 Mins



QF-AF391802

1300W

16L

100-230°C

0-60 Mins

Halogen heating system



Product features

- Power:1300W
- Capcity:16L
- Multifunction :air fryer, toaster oven, food dehydrator
- Baking Time: 60 Minutes
- Indicator light
- Halogen heating element
- Double speed air fryer motor

Packaging parameters

- 20GP: 540 PCS
- 40GP: 1100 PCS
- 40HQ: 1260 PCS

Standard accessories:



Bake tray Tray handle Wire rack

Optional accessories:



Fry Basket BBQ Rotray Rotisserie Set

QF-AF391802D

1300W

16L

100-230°C

0-60 Mins

Halogen heating system



Product features

- Power:1300W
- Capcity:16L
- Multifunction :air fryer, toaster oven, food dehydrator
- Baking Time: 60 Minutes
- Indicator light
- Halogen heating element
- Double speed air fryer motor

Packaging parameters

- 20GP: 540 PCS
- 40GP: 1100 PCS
- 40HQ: 1260 PCS

Standard accessories:



Bake tray Tray handle Wire rack

Optional accessories:



Fry Basket BBQ Rotray Rotisserie Set

QF-AF391803

1300W

16L

100-230°C

0-60 Mins

Halogen heating system



Product features

- Power:1300W
- Capcity:16L
- Multifunction :air fyer, toaster oven, food dehydrator
- Baking Time: 60 Minutes
- Indicator light
- Halogen heating element
- Double speed air fryer motor

Packaging parameters

- 20GP: 540pcs
- 40GP: 1100pcs
- 40HQ: 1260pcs

Standard accessories:



Bake tray Tray handle Wire rack

Optional accessories:



Fry Basket BBQ Rotray Rotisserie Set

QF-AF391806

1300W

16L

100-230°C

0-60 Mins

Halogen heating system



Product features

- Power:1300W
- Capcity:16L
- Multifunction :air fyer, toaster oven, food dehydrator
- Baking Time: 60 Minutes
- Indicator light
- Halogen heating element

Packaging parameters

- 20GP: 540pcs
- 40GP: 1100pcs
- 40HQ: 1260pcs

Standard accessories:



Bake tray Tray handle Wire rack

Optional accessories:



Fry Basket BBQ Rotray Rotisserie Set

QF-AF399014A

NEW

1700W

2x4.5L

80-200°C

0-60 Mins



Product features

- Power:1700W
- Capacity:4.5L+4.5L basket
- LED touch display
- Separate controls for each basket
- 60 minutes timer
- Non-stick Detachable drawer
- Non-stick coating frying pan
- With over heating protection
- Automatic shut-off with ready alert
- Cool touch handle

Packaging parameters

- 20GP: 420 PCS
- 40GP: 870 PCS
- 40HQ: 1015 PCS

QF-AF399003

Product features

- Power:2400W
- 2x5L Double Pots, total 10L
- Digital display,touch screen
- Visible window
- Cook two dishes in room 1 and room 2 in one time
- Can only use one Room to cook dish
- Smart finish: both zones finish cooking at the same time
- Match cook: both zones with same temp and timer



2600W

2x5L

50-200°C

0-60 Mins

Packaging parameters

- 20GP: 360 PCS
- 40GP: 750 PCS
- 40HQ: 978 PCS

QF-AF398018B

NEW

2500W

5L+3L

80-200°C

0-60 Mins



Product features

- Power:1500W+1000W
- Capacity:5L+3L
- 2x4.0L non-stick metal food tray with grill
- S/S 304 heating element
- Non-stick Detachable drawer
- Non-stick coating frying pan
- With over heating protection
- Rapid air circulate fry food faster and save energy
- Heathy way for frying without oil and less fat 80%
- With safety switch

Packaging parameters

- 20GP:480 PCS
- 40GP:1000 PCS
- 40HQ:1160 PCS

QF-AF398018C

NEW

Product features

- Power:1800W
- Capacity:9.5L
- S/S 304 heating element
- Non-stick Detachable drawer
- Non-stick coating frying pan
- With over heating protection
- Rapid air circulate fry food faster and save energy
- Heathy way for frying without oil and less fat 80%
- With safety switch



1800W

9.5L

80-200°C

0-60 Mins

Packaging parameters

- 20GP:480 PCS
- 40GP:1000 PCS
- 40HQ:1160 PCS

1800W

7.5L

80-200°C

0-60 Mins



QF-AF396014D

Product features

- Power:1800W
- Capacity:6L basket / 7.5L dual
- Digital control,Handle button cover production
- 0-60-minute Timer
- 80-200°C adjustable temperature controller
- Indication lights
- With visible window

Packaging parameters

- 20GP:390 PCS
- 40GP:780 PCS
- 40HQ:900 PCS

QF-AF396014M

Product features

- Power:1800W
- Capacity:6L basket / 7.5L dual
- Two knob manuall control
- 0-60-minute Timer
- 80-200°Cadjustable temperature controller
- Indication lights
- With visible window

Packaging parameters

- 20GP:390 PCS
- 40GP:780 PCS
- 40HQ:900 PCS



1800W

7.5L

80-200°C

0-60 Mins

1800W

7.5L

80-200°C

0-60 Mins



QF-AF396013D

Product features

- Power:1800W
- Capacity:6L basket / 7.5L dual
- Digital control,Handle button cover production
- 0-60-minute Timer
- 80-200°C adjustable temperature controller
- Indication lights
- With visible window

Packaging parameters

- 20GP: 390 PCS
- 40GP: 780 PCS
- 40HQ: 900 PCS

QF-AF396013M

Product features

- Power:1800W
- capacity:6L basket / 7.5L dual
- Two knob manuall control
- 0-60-minute Timer
- 80-200°Cadjustable temperature controller
- Indication lights
- With visible window

Packaging parameters

- 20GP: 390 PCS
- 40GP: 780 PCS
- 40HQ: 900 PCS



1800W

7.5L

80-200°C

0-60 Mins

1600W

6.5L

80-200°C

0-60 Mins



QF-AF396501MW

Product features

- Power:1600W
- Capacity:6.5L(with rack)
- Working time:0-60mins
- Working temp:80-200°C
- Mechanical knob
- With visible window
- Fry force 360° technology cooks food quickly
- Non-stick,diswasher safe oil basket

Packaging parameters

- 20GP:580 PCS
- 40GP:1040 PCS
- 40HQ:1250 PCS

QF-AF396501M

Product features

- Power:1600W
- Capacity:6.5L(with rack)
- Working time:0-60mins
- Working temp:80-200°C
- Mechanical knob
- Fry force 360° technology cooks food quickly
- Non-stick,diswasher safe oil basket

Packaging parameters

- 20GP:580 PCS
- 40GP:1040 PCS
- 40HQ:1250 PCS



1600W

6.5L

80-200°C

0-60 Mins

1500W

2.8L

80-200°C

0-30 Mins



QF-AF393008

Product features

- Power:1500W
- Capcity:2.8 L non-stick basket
- Variable temperature control
- Auto-shut off function
- Classic stainless steel design
- Uses rapid air circulation

Packaging parameters

- 20GP: 1196 PCS
- 40GP: 2490 PCS
- 40HQ: 2796 PCS

QF-AF393004

Product features

- Power:1500W
- Capcity:2.8 L non-stick basket
- Variable temperature control
- Auto-shut off function
- Touch screen
- Classic stainless steel design
- Uses rapid air circulation

Packaging parameters

- 20GP:1088 PCS
- 40GP: 2260 PCS
- 40HQ: 2596 PCS



1500W

2.8L

80-200°C

0-60 Mins

QF-AF398019

NEW

1800W

8L

80-200°C

0-60 Mins



Product features

- Power:1800W
- Capacity: 8.0L
- LED display&Touch control
- With non-stick coating Frying pot&frying tray
- Time control:0-60mins
- Temperature controller :80-200°C
- Overheating protection
- Double protection circuits
- With mirco switch control

Packaging parameters

- 20GP:455 PCS
- 40GP:1180 PCS
- 40HQ:1420 PCS

QF-AF398014W

NEW

Product features

- Power: 1800W
- Capacity: 8.0L
- Manual control
- With non-stick coating Frying pot&frying tray
- Time control :0-30mins or 0-60mins
- Temperature controller :80-200°C
- Overheating protection
- Double protection circuits
- With mirco switch control

Packaging parameters

- 20GP: 396 PCS
- 40GP: 820 PCS
- 40HQ: 950 PCS



1800W

8.0L

80-200°C

0-30 Mins

QF-AF398020

NEW

1800W

10L

80-200°C

0-60 Mins



Product features

- Power:1800W
- Capacity:10L
- LED display&Touch control
- With non-stick coating Frying pot&frying tray
- Timer length: 60 mins
- Temperature control: 80-200 centigrade
- Automatic shut-off with ready alert
- Overheating protection
- With mirco switch control

Packaging parameters

- 20GP:398 PCS
- 40GP:840 PCS
- 40HQ:970 PCS

QF-AF398022

NEW

Product features

- Power:1800W
- Capacity:10L
- Manual control
- With non-stick coating Frying pot&frying tray
- Timer length: 60 mins
- Temperature control: 80-200 centigrade
- Automatic shut-off with ready alert
- Overheating protection
- With mirco switch control

Packaging parameters

- 20GP: 465 PCS
- 40GP: 960 PCS
- 40HQ: 1145 PCS



1800W

10L

80-200°C

0-60 Mins

1200W

3L

90-210°C

0-30 Mins



QF-AF393002

Product features

- Power:1200W
- Capcity:3.0L
- New fashion design with spraying decoration parts
- With mechanical knobs
- Timer range from 5-30 mins
- Over heating protection

Packaging parameters

- 20GP:900 PCS
- 40GP:1800 PCS
- 40HQ:2176 PCS

QF-AF393003

Product features

- Power:1200W
- Capcity:3.0L
- New fashion design with spraying decoration parts
- With Touch screen
- Timer range from 5-30 mins
- Over heating protection

Packaging parameters

- 20GP: 900 PCS
- 40GP: 1800 PCS
- 40HQ: 2176 PCS



1200W

3L

90-210°C

0-30 Mins

1500W

4L

80-200°C

0-30 Mins



QF-AF393817

Product features

- Power:1500W
- Capcity: 4.0L
- 0-30min Timer
- LED display with touch screen
- 12 preset programs
- Non-stick coating pan
- Over heating protection

Packaging parameters

- 20GP:782 PCS
- 40GP:1564 PCS
- 40HQ:1890 PCS

QF-AF396012

Product features

- Power:1800W
- Capcity: 6.5L
- 0-30min Timer
- With safety switch
- Non-stick coating pan
- Over heating protection

Packaging parameters

- 20GP: 500 PCS
- 40GP: 1000 PCS
- 40HQ: 1150 PCS



1800W

6.5L

90-200°C

0-30 Mins

1400W

4L

65-200°C

0-60 Mins



QF-AF394007

Product features

- Power:1400W
- Capacity: 4L
- With mechanical knobs
- Temperature range from 65 to 200 °C
- Timer range from 0-60 mins
- Transparent tempered glass inner pot
- Faster cooking and healthier with glass pot
- Preset cooking manual, easy to control

Packaging parameters

- 20GP: 930 PCS
- 40GP: 1900 PCS
- 40HQ: 2240 PCS

QF-AF394013

Product features

- Power:1400W
- Capacity: 4L
- With Touch LED display
- Temperature range from 65 to 200 °C
- Timer range from 0-60 mins.
- Transparent tempered glass inner pot
- Faster cooking and healthier with glass pot
- Preset cooking manual, easy to control

Packaging parameters

- 20GP:980 PCS
- 40GP:1960 PCS
- 40HQ:2240 PCS



1400W

4L

65-200°C

0-60 Mins

1200W

3L

40-230°C

0-60 Mins



QF-AC6007

Product features

- Power:1200W
- Capacity:3L
- Visible glass jug Air Fryer + Electrical Grill
- One-touch digital control
- Grill pan size is 22cm
- Adjustable temperature 40-230°C
- 6 pre-programmed recipes in MENU
- Non-stick coated die-casting aluminum Grill plate
- Fat&oil free healthy cooking
- Turn your air fryer into Electric grill easily and quickly

Packaging parameters

- 20GP:1120 PCS
- 40GP:2240 PCS
- 40HQ:2560 PCS

QF-AF394016

NEW

Product features

- Power:1200W
- Digita Steam-Glass Air Fryer
- Capacity:4.2L Visible glass pot
- With Sensor touch controler
- 60-200°C temp range with safe surface
- Halogen or carbon heating elements alternative
- With micro-switch ensurance

Packaging parameters

- 20GP:530 PCS
- 40GP:1100 PCS
- 40HQ:1400 PCS



1200W

4.2L

60-200°C

0-60 Mins

JUICER

130W

Strong motor

Low Noise

High Juicer Rate



QF-SJ3713

Product features

- Power:130W
- #7912 full copper motor
- Working Speed:45-70rpm/min
- High juicer ratio
- N-O-R 3-step switch
- Only 5 second to assemble, easy clean and disassemble

Packaging parameters

- 20GP:2712 PCS
- 40GP:5616 PCS
- 40HQ:6588 PCS

QF-SJ3733

Product features

- Power:130W
- #7912 full copper motor
- Working Speed:45-70rpm/min
- High juicer ratio
- N-O-R 3-step switch
- Only 5 second to assemble, easy clean and disassemble

Packaging parameters

- 20GP:2712 PCS
- 40GP:5616 PCS
- 40HQ:6588 PCS



130W

Strong motor

Low Noise

High Juicer Rate

100W

Strong motor

Low Noise

High Juicer Rate



QF-SJ3731

MINI SIZE

Product features

- Power:100W
- #5512 full copper motor
- Working Speed:45-70rpm/min
- High juicer ratio
- N-O-R 3-step switch
- Only 5 second to assemble, easy clean and disassemble

Packaging parameters

- 20GP:4290 PCS
- 40GP:8910 PCS
- 40HQ:10140 PCS

QF-SJ3732

MINI SIZE

Product features

- Power:100W
- #5512 full copper motor
- Working Speed:45-70rpm/min
- High juicer ratio
- N-O-R 3-step switch
- Only 5 second to assemble, easy clean and disassemble

Packaging parameters

- 20GP:3408 PCS
- 40GP:6894 PCS
- 40HQ:7896 PCS



100W

Strong motor

Low Noise

High Juicer Rate

200W

Strong motor

Low Noise

High Juicer Rate





QF-SJ3718

Product features

Power:200W

- #9912 full copper motor
- Working Speed:45-70rpm/min
- Big mouth feed chute:78mm
- 580ML Juice bowl
- N-O-R 3-step switch
- Only 5 second to assemble, easy clean and disassemble

Packaging parameters

- 20GP:1152 PCS
- 40GP:2388 PCS
- 40HQ:2720 PCS

QF-SJ3736



Product features

Power:200W

- #9912 full copper motor
- Working Speed:50-80rpm/min
- Big mouth feed chute:78mm
- 580ML Juice bowl
- N-O-R 3-step switch
- Only 5 second to assemble, easy clean and disassemble

Packaging parameters

- 20GP:1152 PCS
- 40GP:2388 PCS
- 40HQ:2720 PCS

200W

Strong motor

Low Noise

High Juicer Rate

200W

Strong motor

Low Noise

High Juicer Rate





78mm Big chute

QF-SJ3717

Product features

- Power:200W
- #9912 full copper motor
- Working Speed:50-80rpm/min
- Big mouth feed chute:78mm
- 580ML Juice bowl
- N-O-R 3-step switch
- Only 5 second to assemble, easy clean and disassemble

Packaging parameters

- 20GP:1152 PCS
- 40GP:2388 PCS
- 40HQ:2720 PCS



200W

Strong motor

Low Noise

High Juicer Rate





85mm Big chute

QF-SJ3739

NEW

Product features

- Power:200W
- #3430 motor
- Working speed:60 rpm/min
- Big mouth feed chute : 42/85 mm
- Juice bowl: 300ML
- N-O-R 3-step switch
- Continuous working for 20 minutes

Packaging parameters

- 20GP:876 PCS
- 40GP:1840 PCS
- 40HQ:2100 PCS



QF-SJ3735



78mm Big chute

Product features

- Power:200W
- #9912 full copper motor
- Working Speed:45-70rpm/min
- Big mouth feed chute:78mm
- 580ML Juice bowl
- N-O-R 3-step switch
- Only 5 second to assemble, easy clean and disassemble

Packaging parameters

- 20GP:1152 PCS
- 40GP:2388 PCS
- 40HQ:2720 PCS





200W

Strong motor

Low Noise

High Juicer Rate

QF-SJ3740

NEW



85mm Big chute

Product features

- Power:250W
- # 4435 motor
- Working speed:60 rpm/min
- Big mouth feed chute : 42/85 mm
- Juice bowl: 300ML
- N-O-R 3-step switch
- Continuous working for 20 minutes

Packaging parameters

- 20GP:904 PCS
- 40GP:1848 PCS
- 40HQ:2120 PCS





250W

Strong motor

Low Noise

High Juicer Rate

200W

Strong motor

Low Noise

High Juicer Rate





QF-SJ3742

NEW

Product features

- Power:200W
- #3430 DC motor
- Working speed:55 rpm/min
- Big mouth feed chute : 45/90 mm
- Juice bowl: 300ML
- N-O-R 3-step switch
- Continuous working for 20 minutes

Packaging parameters

- 20GP:1000 PCS
- 40GP:1865 PCS
- 40HQ:2330 PCS

QF-SJ3743

NEW

Product features

- Power: 250W
- #4435 motor
- Working speed:55 rpm/min
- Big mouth feed chute : 45/110 mm
- Juice bowl: 300ML
- N-O-R 3-step switch
- Continuous working for 20 minutes

Packaging parameters

- 20GP:980 PCS
- 40GP:2214 PCS
- 40HQ:2264 PCS



250W

Strong motor

Low Noise

High Juicer Rate

250W

Strong motor

Low Noise

High Juicer Rate



QF-SJ3744

NEW

Product features

- Power:250W
- # 4435 DC motor
- Working Speed:55rpm/min
- Big mouth feed chute : 45/130 mm
- PC Juicer bowl:500ML
- Long continious working time (KB:10mins)
- 800ML pulp collector cup,1000 ML AS collect cup
- N-O-R 3-step switch

Packaging parameters

- 20GP:900 PCS
- 40GP:1894 PCS
- 40HQ:2194 PCS

QF-SJ3745

NEW

Product features

- Power: 250W
- # 4435 DC motor
- Working Speed:55rpm/min
- Big mouth feed chute : 45/130 mm
- PC Juicer bowl:500ML
- Long continious working time (KB:10mins)
- 800ML pulp collector cup,1000 ML AS collect cup
- N-O-R 3-step switch

Packaging parameters

- 20GP:900 PCS
- 40GP:1894 PCS
- 40HQ:2194 PCS





850W

Strong motor

Low Noise

High Juicer Rate

400W

Strong motor

Low Noise

High Juicer Rate





QF-0614C

Product features

- Power:400W
- #7025 full copper motor
- 2 speeds (11,000rpm / 13,000 rpm)
- Micro-mesh #SUS 430 Filter
- Feeding Tube Dia: 65 mm
- 450ml juice cup & 1.5L pulp cup
- Stainless steel Handle

Packaging parameters

- 20GP:1500 PCS
- 40GP:3092 PCS
- 40HQ:3624 PCS

800W

Strong motor

Low Noise

High Juicer Rate





QF-0614YH

NEW

Product features

- Power:800W
- #8820 copper motor
- 2 speeds+Pulse,with blue light
- 1.6L Pulp container, 750ml Juicing Jar
- Feeding Tube Dia: 75 mm
- Micro-mesh #430 Stainless Steel Filter

Packaging parameters

- 20GP:860 PCS
- 40GP:1800 PCS
- 40HQ:2064 PCS

QF-JE141003

Product features

- Power:1000W
- #8835 full copper motor
- 2 speeds (14,000rpm / 18,000 rpm)
- Micro-mesh #SUS 304 Filter
- Feeding Tube Dia: 75 mm
- 2L juice cup & 1L pulp cup
- Stainless steel Handle

Packaging parameters

- 20GP:820 PCS
- 40GP:1640 PCS
- 40HQ:1980 PCS







1000W

Strong motor

Low Noise

High Juicer Rate

QF-JE140817

NEW

Product features

- Power:800W
- #8825 Full copper motor
- With 2 speed for soft & hard food
- 3.0L pulp container,1.6L juice cup
- 85mm Extra large feeding tube
- Stainless steel housing and filter basket

Packaging parameters

- 20GP:660 PCS
- 40GP:1280 PCS
- 40HQ:1320 PCS







800W

Strong motor

Low Noise

High Juicer Rate

500W

Strong motor

Low Noise

High Juicer Rate



QF-0614LBM

NEW

Product features

- Power:500W
- 7025 CCA copper motor
- Stainless steel housing
- 2 speeds control
- Wide feed tube (65 mm)
- 800ml Juice jug,1.5 L Pulp container
- With blender jar,chopper,grinder jar
- Double overheating protection

Packaging parameters

- 20GP:716 PCS
- 40GP:1488 PCS
- 40HQ:1724 PCS



QF-0614LAM

NEW

Product features

- Power: 500W
- 7025 CCA copper motor
- Stainless steel housing
- 2 speeds control
- Wide feed tube (65 mm)
- 800ml Juice jug,1.5 L Pulp container

Packaging parameters

- 20GP:716 PCS
- 40GP:1488 PCS
- 40HQ:1724 PCS



800W

Strong motor

Low Noise

High Juicer Rate

800W

Strong motor

Low Noise

High Juicer Rate



QF-JE140809

NEW

Product features

- Power:800W
- #8820 full copper motor
- 85mm feeding tube
- 2 speeds (11,000rpm / 13,000 rpm)
- 1.0L juicer cup, 2L pulp cup
- SS304 of blade + SS430 filter
- 1.5L glass blender,500ml glass food chopper
- 60g glass dry mill
- Stainless steel Handle

Packaging parameters

- 20GP:560 PCS
- 40GP:1160 PCS
- 40HQ:1360 PCS

QF-JE140818

NEW

Product features

- Power:800W
- # 8820 full copper motor
- 5-Speed with touch panel
- 85mm feeding tube
- 1.0L juice jar, 2.4L pulp container
- Stainless steel #430 filter basket
- Stainless Steel Spout (S/S 201)

Packaging parameters

- 20GP:720 PCS
- 40GP:1444 PCS
- 40HQ:1756 PCS





800W

Strong motor

Low Noise

High Juicer Rate

Table Blender

1200W

NEW



Strong motor



1.8L

6 Blades

QF-TB150421

Product features

- Power: 1200W
- 1.8L Glass blender jar
- With Stainless steel housing
- 6 leaves stainless steel blade
- 3 Functions: Smoothie, Cleaner, Ice Crusher
- With stepless speed digital control switch
- Overheat protector and safety lock system

Packaging parameters

- 20GP:1116 PCS
- 40GP:2316 PCS
- 40HQ:2718 PCS

QF-TB150423

NEW

Product features

- Power: 1200W
- 1.8L Glass blender jar
- With Stainless steel housing
- 6 leaves stainless steel blade
- 4 Functions: Smoothie, Cleaner, Ice Crusher, Timer
- With stepless speed
- Overheat protector and safety lock system

Packaging parameters

- 20GP:1278 PCS
- 40GP:2658 PCS
- 40HQ:3114 PCS





1200W

Strong motor

1.8L

6 Blades

600W

Strong motor

1.5L

6 Blades





Glass coffee grinder

QF-TB150422

NEW

Product features

- Power: 600W
- 1.5L Glass blender jar
- With Stainless steel housing
- 6 leaves stainless steel blade
- With two speeds and pause function
- Overheat protector and safety lock system

Packaging parameters

- 20GP:1278 PCS
- 40GP:2658 PCS
- 40HQ:3114 PCS

QF-TB150424

NEW

Product features

- Power: 1200W
- 1.8L Glass blender jar
- With Stainless steel housing
- 6 leaves stainless steel blade
- With time setting and indoor temp showing
- 4 FUNCTIONS: Smoothie, Cleaner, Ice Crusher, Timer
- With stepless speed
- Overheat protector and safety lock system

Packaging parameters

- 20GP:1116 PCS
- 40GP:2316 PCS
- 40HQ:2718 PCS



Glass coffee grinder



1200W

Strong motor

1.8L

6 Blades

600W

Strong motor

1.5L

6 Blades



QF-TB150614

Product features

- Power: 600W
- 1.5L Glass blender jar
- AC#7025 fulll copper motor
- With Stainless Steel housing
- 6 leaves stainless steel blade
- 5 speeds + pulse
- Overheat protector and safety lock system
- Ideal for chopping, mixing, blending、liquefying and crushing ice

Packaging parameters

- 20GP:1028 PCS
- 40GP:2132 PCS
- 40HQ:2500 PCS

QF-TB150806

Product features

- Power: 800W
- 1.5L Glass blender jar
- AC#8820 fulll copper motor
- With Stainless Steel housing
- 6 leaves stainless steel blade
- Max speed RPM 20000±15%
- Stepless speed control and pre-set function
- Ideal for chopping, mixing, blending, liquefying and crushing ice

Packaging parameters

- 20GP:1120 PCS
- 40GP:2360 PCS
- 40HQ:2760 PCS



800W

Strong motor

1.5L

6 Blades

1200W

Strong motor

1.5L

4 Blades



QF-TB151203S

Product features

- Power: 1200W
- 1.5L Glass blender jar
- #7630 Motor
- With Stainless Steel housing
- 4 leaves stainless steel blade
- With drip hole on cover
- 2 speeds with pulse
- With LED light on panel
- Low noise when blending

Packaging parameters

- 20GP:1566 PCS
- 40GP:3336 PCS
- 40HQ:3642 PCS

QF-TB150803

Product features

- Power: 800W
- 1.5L Glass blender jar
- With Stainless steel housing
- 6 leaves stainless steel blade
- LCD screen control
- Double safety lock device
- 5 Functions: blender, Ice crush, smoothie, mincer and grinder

Packaging parameters

- 20GP:1408 PCS
- 40GP:2880 PCS
- 40HQ:3240 PCS



800W

Strong motor

1.5L

6 Blades

600W

Strong motor

1.5L

4 Blades



QF-TB150615G

Product features

- Power: 600W
- 1.5L Glass blender jar
- #7630 CCA motor
- With Plastic housing
- 4 leaves stainless steel blade
- Off/Low/High/Low pulse/High pulse
- Perfect Ice Crush blender With Shake down and Up

Packaging parameters

- 20GP:1680 PCS
- 40GP:3460 PCS
- 40HQ:4060 PCS

QF-TB150616G

Product features

- Power: 600W
- 1.5L Glass blender jar
- #7630 CCA motor
- With Plastic housing
- 4 leaves stainless steel blade
- 2 Speeds with pulse
- Perfect Ice Crush blender With Shake down and Up

Packaging parameters

- 20GP:1680 PCS
- 40GP:3460 PCS
- 40HQ:4060 PCS



600W

Strong motor

1.5L

4 Blades

400W

Strong motor

1.5L

4 Blades



QF-TB151016

Product features

- Power:400W
- 1.5L Plastic blender jar
- #7025 Aluminium with copper
- 4 Stainless steel blade
- 8 buttons, 10 speed with pulse
- Detachable stainless steel blade, easy to clean

Packaging parameters

- 20GP:1760 PCS
- 40GP:3580 PCS
- 40HQ:4232 PCS

QF-TB150314

Product features

- Power:350W
- 1.5L Glass blender jar
- #7016 Aluminium with copper
- 4 Stainless steel blade
- 4 Speeds with pulse SS panel covering
- Detachable stainless steel blade, easy to clean

Packaging parameters

- 20GP:1950 PCS
- 40GP:4110 PCS
- 40HQ:4980 PCS





350W

Strong motor

1.5L

4 Blades

500W

Strong motor

1.6L

6 Blades



QF-TB151025

Product features

- Power: 500W
- Capacity :1.6L glass blender jar, MAX: 2.2L
- #7630 Aluminium with copper
- 6 leaves stainless steel blade
- Led digital light with Pulse
- Table blender with Ice crusher
- 12 speeds with pulse

Packaging parameters

- 20GP:1560 PCS
- 40GP:3600 PCS
- 40HQ:3740 PCS


QF-TB151024

Product features

- Power:500W
- 1.6L glass blender jar, MAX: 2.2L
- #7630 Aluminium with copper
- 6 leaves stainless steel blade
- Table blender with ice crusher
- 12 speeds with pulse

Packaging parameters

- 20GP:1560 PCS
- 40GP:3600 PCS
- 40HQ:3740 PCS



500W

Strong motor

1.6L

6 Blades

600W

Strong motor

1.25L

6 Blades



QF-TB151026

Product features

- Power: 600W
- 1.25L glass blender jar
- #8820 Copper and alumium motor
- Function: Blender/Grinder/Ice-crush
- 6 leaves stainless steel blade
- Alumium chrome housing; metal heavy
- 3 speeds with two off function

Packaging parameters

- 20GP:1688 PCS
- 40GP:3600 PCS
- 40HQ:4092 PCS

QF-9415A

Product features

- Power: 600W
- 1.25L glass blender jar
- #8825 Aluminium with Copper motor
- Function: Blender/Grinder/Ice-crush
- 6 leaves stainless steel blade
- Mini grinder for optional

Packaging parameters

- 20GP:1688 PCS
- 40GP:3600 PCS
- 40HQ:4092 PCS



600W

Strong motor

1.25L

6 Blades

500W

Strong motor

1.5L

4 Blades



QF-TB150524P

Product features

- Power: 500W
- 1.5L plastic jar with EK1
- #7020 CCA motor
- 4 leaves stainless steel blade
- 2 speeds with pulse
- Anti-slip feet design

Packaging parameters

- 20GP:1440 PCS
- 40GP:3060 PCS
- 40HQ:3440 PCS

QF-TB150523

Product features

- Power: 500W
- 1.5L plastic jar with EK1
- #7020 CCA motor
- 4 leaves stainless steel blade
- 2 speeds with pulse
- Anti-slip feet design

Packaging parameters

- 20GP:1800 PCS
- 40GP:3800 PCS
- 40HQ:4320 PCS



500W

Strong motor

1.5L

4 Blades

STAND MIXER



HONG KING

1000W

7L Bowl

6 speeds

Full Copper Motor





QF-3479

Product features

- Power:1000W
- #9535 full copper motor
- Full metal gear
- Convenient control panel with 6 speed setting
- With Timer LCD display
- Stainless steel 304 bowl with 7L
- Strong motor handles 2.5kg mixture

Packaging parameters

- 20GP:485 PCS
- 40GP:990 PCS
- 40HQ:1186 PCS


Egg whisk


Beater


Dough hook


Meat grinder


Paster maker

QF-3479D

Product features

- Power:1000W
- #9535 full copper motor
- Full metal gear
- Convenient control knob with 6 speeds setting+Pulse
- Stainless steel 304 bowl with 7L
- Strong motor handles 2.5kg mixture

Packaging parameters

- 20GP:462 PCS
- 40GP:910 PCS
- 40HQ:1086 PCS





1000W

7L Bowl

6 speeds

Full Copper Motor


Egg whisk


Beater


Dough hook


Meat grinder


Paster maker

HONG KING

QF-347304

NEW

1500W

5L Bowl

10 speeds

Strong Motor



Product features

- Power:1500W
- #7625 Motor
- Convenient control knob with 10 speed setting+Pulse
- Stainless steel 304 bowl with 5L
- Strong motor handles 0.6kg flour+ 0.32kg water

Packaging parameters

- 20GP:1020 PCS
- 40GP:2150 PCS
- 40HQ:2490 PCS



Beater



Dough hook



Egg whisk



Splash guard

QF-347307

NEW

Product features

- Power:1500W
- #7625 Motor
- Convenient control knob with 10 speed setting+Pulse
- Stainless steel 304 bowl with 5L
- Strong motor handles 0.6kg flour+ 0.32kg water

Packaging parameters

- 20GP:1010 PCS
- 40GP:2130 PCS
- 40HQ:2470 PCS



1500W

5L Bowl

10 speeds

Strong Motor



Beater



Dough hook



Egg whisk



Splash guard

QF-347308

NEW

1500W

5L Bowl

10 speeds

Strong Motor



Product features

- Power:1500W
- #7625 Motor
- Convenient control knob with 10 speed setting+Pulse
- Stainless steel 304 bowl with 5L
- Strong motor handles 0.6kg flour+ 0.32kg water

Packaging parameters

- 20GP:1010 PCS
- 40GP:2130 PCS
- 40HQ:2470 PCS



Beater



Dough hook



Egg whisk



Splash guard

QF-347309

NEW

Product features

- Power:1500W
- #7625 Motor
- Convenient control knob with 10 speed setting+Pulse
- Stainless steel 304 bowl with 5L
- Strong motor handles 0.6kg flour+ 0.32kg water

Packaging parameters

- 20GP:1010PCS
- 40GP:2130 PCS
- 40HQ:2470 PCS



1500W

5L Bowl

10 speeds

Strong Motor



Beater



Dough hook



Egg whisk



Splash guard

QF-347413

1200W

5L Bowl

10 speeds

Strong Motor



Product features

- Power:1200W
- #7625 Motor
- Convenient control panel with 10 speeds setting
- Stainless steel 304 bowl with 5L
- Strong motor handles 0.7kg flour+ 0.35kg water
- Safety lock

Packaging parameters

- 20GP:760 PCS
- 40GP:1570 PCS
- 40HQ:1830 PCS



Beater



Dough hook



Egg whisk



Splash guard

QF-347513

1300W

5L Bowl

6 speeds

Strong Motor



Product features

- Power:1300W
- #7625 Motor
- Convenient control panel with 6 speeds setting
- Strong motor handles 1.2KG mixture
- Planetary rotation ensures an even mixing result
- Safety lock

Packaging parameters

- 20GP:716 PCS
- 40GP:1480 PCS
- 40HQ:1600 PCS



Beater



Dough hook



Egg whisk



Splash guard

QF-347415

700W

4L Bowl

6 speeds

Strong Motor



Product features

- Power:700W
- #7030 CCA Motor
- 4L Stainless steel 304 bowl
- 6-speed control + pulse button
- Pop-up head lift function for easy change of accessories
- Safety lock

Packaging parameters

- 20GP:1120 PCS
- 40GP:2240 PCS
- 40HQ:2560 PCS




Beater



Dough hook



Egg whisk



Splash guard

QF-347431

800W

4L Bowl

10 speeds

Strong Motor



Product features

- Power:800W
- #5430 Motor
- Convenient control panel with 10 speed setting
- 4L Stainless steel 304 bowl
- Strong motor handles 0.6kg flour+ 0.4kg water
- Safety lock

Packaging parameters

- 20GP:920 PCS
- 40GP:1880 PCS
- 40HQ:2180 PCS



Beater



Dough hook



Egg whisk



Splash guard

QF-347610

1200W

6L Bowl

6 speeds

Strong Motor



Product features

- Power:1200W
- #7625 Motor
- Convenient control panel with 6 speed setting
- Stainless steel 304 bowl with 6L
- Strong motor handles 1.0kg flour+ 0.6kg water.
- Safety lock

Packaging parameters

- 20GP:720 PCS
- 40GP:1520 PCS
- 40HQ:1750 PCS



Beater



Dough hook



Egg whisk



Splash guard

QF-347617

NEW

Product features

- Power:1400W
- #8830 Motor
- Convenient control panel with 6 speed setting+Pulse
- With LED indication light
- Stainless steel 304 bowl with 6.2L
- Strong motor handles 2.25kg mixture
- Safety lock

Packaging parameters

- 20GP: 500 PCS
- 40GP:1010 PCS
- 40HQ:1188 PCS

1400W

6.2L Bowl

6 speeds

Strong Motor





Beater



Dough hook



Egg whisk



Splash guard

QF-347620

1400W

5L Bowl

8 speeds

Strong Motor

DIE-CAST

DIE-CAST



Product features

- Power:1500W
- #8830 pure copper motor
- Convenient control knob with 8 speed setting+Pulse
- Die-casting housing
- With IC and Hoare program
- Stainless steel 304 bowl with 6L
- Strong motor handles 0.8kg flour+0.48 water
- Safety lock

Packaging parameters

- 20GP:760 PCS
- 40GP:1550 PCS
- 40HQ:1840 PCS



Beater



Dough hook



Egg whisk



Splash guard

QF-347814

2200W

10L Bowl

9 speeds

Full Copper Motor

Product features

- Power: 2200W
- #8843 Motor full copper motor
- One touch control + LCD display
- Convenient control knob with 9 speed setting+Pulse
- Stainless steel 304 bowl with 10L
- Strong motor handles 1.5kg flour + 0.85kg water
  Safety lock

Packaging parameters

- 20GP:326 PCS
- 40GP:1090 PCS
- 40HQ:1380 PCS





Dough hook



Egg whisk



Beater

QF-347609

1200W

5L Bowl

8 speeds

Full Copper Motor

DIE-CAST



Product features

- Power:1200W
- #8835 full copper motor
- Convenient control knob with 8 speed setting+Pulse
- Die-casting housing
- Stainless steel 304 bowl with 5L
- Strong motor handles 1.5kg mixture
- Safety lock

Packaging parameters

- 20GP:532 PCS
- 40GP:1102 PCS
- 40HQ:1292 PCS


Beater


Dough hook


Egg whisk


Splash guard


Meat grinder


Cookie maker


Paster maker


Slicer

QF-347607

Product features

- Power:1200W
- #7635 Motor
- Convenient control panel with 6 speed setting+Pulse
- With LED indication light
- Stainless steel 304 bowl with 6.2L
- Strong motor handles 2.25kg mixture
- Safety lock

Packaging parameters

- 20GP:716PCS
- 40GP:1480 PCS
- 40HQ:1600 PCS

DIE-CAST



1200W

6.2L Bowl

9 speeds

Strong Motor


Glass Blender


Meat grinder


Beater


Dough hook


Egg whisk


Splash guard

2000W

9L Bowl

6 speeds

Full Copper Motor

9L Big capacity



QF-347806

Product features

- Power:2000W
- #8840 full copper motor
- Convenient control knob with 6 speed setting+Pulse
- With LED display
- Stainless steel housing
- Stainless steel 304 bowl with 9L
- Strong motor handles 1.5kg mixture
- Bowl with handle

Packaging parameters

- 20GP:378 PCS
- 40GP:784 PCS
- 40HQ:919 PCS


Beater


Dough hook


Egg whisk

QF-347804

Product features

- Power:2000W
- #9840 full copper motor
- Convenient control knob with 6 speed setting+Pulse
- With LED display
- Stainless steel housing
- Stainless steel 304 bowl with 12L
- Strong motor handles 2.5kg flour+1.5L water
- Bowl with handle

Packaging parameters

- 20GP:294 PCS
- 40GP:610 PCS
- 40HQ:715 PCS

12L Big capacity



2000W

12L Bowl

6 speeds

Full Copper Motor


Beater


Dough hook


Egg whisk

QF-347527F

1400W

5.3L Bowl

8 speeds

Full Copper Motor





Product features

- Power:1400W
- #8825 Motor
- Convenient control panel with 8 speed setting
- Stainless steel 304 bowl with 5.3L
- Strong motor handles 0.7kg flour+ 0.35kg water
- Safety lock


Packaging parameters

- 20GP:700 PCS
- 40GP:1450 PCS
- 40HQ:1700 PCS


Beater


Dough hook


Egg whisk


Splash guard

QF-347618

800W

5.7L Bowl

12 speeds

Full Copper Motor





Product features

- Power:800W
- DC #4435 pure copper motor
- 12 speed setting with time setting
- Stainless steel 304 bowl with 5.7L
- Strong motor handles 0.7kg flour+ 0.35kg water
- Detachable power cord


Packaging parameters

- 20GP:582 PCS
- 40GP:1206 PCS
- 40HQ:1412 PCS



Beater


Dough hook


Egg whisk


Splash guard


Meat grinder


Cookie maker


Paster maker


Slicer

QF-347412

600W

4.3L Bowl

6 speeds

Strong Motor

Product features

- Power:600W
- DC #4430 pure copper motor
- Convenient control panel with 6 speed setting
- Stainless steel 304 bowl with 4.3L
- Strong motor handles 0.7kg flour+ 0.35kg water
- Safety lock

Packaging parameters

- 20GP:930 PCS
- 40GP:1930 PCS
- 40HQ:2260 PCS




Beater


Dough hook


Egg whisk


Splash guard

QF-347619

800W

6L Bowl

12 speeds

Full Copper Motor

Product features

- Power:800W
- DC #4435 pure copper motor
- Aluminum die-casting housing
- 12-speed(including pulse and 0) with time setting
- Stainless steel 304 bowl with 6L
- Strong motor handles 0.7kg flour+ 0.35kg water
- Safety lock

Packaging parameters

- 20GP:582PCS
- 40GP:1206 PCS
- 40HQ:1412 PCS







Beater


Dough hook


Egg whisk


Splash guard


Meat grinder


Cookie maker


Paster maker


Slicer

MEAT GRINDER



HONG KING

500W

Strong motor

Reverse function

SS Blade



QF-6789

NEW

Product features

- Power:500W
- Full copper 7025 motor
- Mechanical switch with 2 speeds
- Plastic housing with SS decoration
- Low-noise,on/off and reverse function
- Self locking function

Packaging parameters

- 20GP:1386 PCS
- 40GP:2898 PCS
- 40HQ:3282 PCS

QF-2789

Product features

- Power:500W
- #7025 Full copper motor
- With reversion rotation
- Low noisy level
- 3pcs metal plates: 3mm+5mm+7mm
- 800W / 1000W / 1400W / 1800W for Optional



Packaging parameters

- 20GP:1096 PCS
- 40GP:2300 PCS
- 40HQ:2400 PCS

500W

Strong motor

Reverse function

SS Blade

HONG KING

600W

Strong motor

Reverse function

SS Blade



QF-MG180608

NEW

Product features

- Power:600W
- DC8037 motor
- #5 grinder head
- With storage function
- 3pcs metal plates: 3mm+5mm+7mm
- 1-touch 7 speeds control panel
- With metal gear and gearbox

Packaging parameters

- 20GP:864 pcs
- 40GP:1792 pcs
- 40HQ:2100 pcs

QF-MG180607

NEW

Product features

- Power:600W
- DC8037 motor
- #8 grinder head
- 3pcs metal plates: 3mm+5mm+7mm
- On-Off &REV&+-&LOCK Switch&blue light
- Brushing injection body with coating color
- With metal gear and gearbox

Packaging parameters

- 20GP:864 PCS
- 40GP:1792 PCS
- 40HQ:2100 PCS



600W

Strong motor

Reverse function

SS Blade

600W

Strong motor

Reverse function

SS Blade



NEW

QF-MG180609

Product features

- Power:600W
- DC motor#5337
- #5 grinder head
- 3pcs metal plates: 3mm+5mm+7mm
- Aluminium body
- Sensor touch control with indicator
- With metal gear
- Optional:
- Food grade juice extracting
- Salad maker

Packaging parameters

- 20GP:1232 PCS
- 40GP:2508 PCS
- 40HQ:2934 PCS



QF-MG180610

NEW

Product features

- Power:600W
- DC motor#5337
- #5 grinder head
- 3pcs metal plates: 3mm+5mm+7mm
- Aluminium body
- Sensor touch control with indicator
- With metal gear
- Optional:
- Food grade juice extracting
- Salad maker

Packaging parameters

- 20GP:1232 PCS
- 40GP:2508 PCS
- 40HQ:2934 PCS



600W

Strong motor

Reverse function

SS Blade

1400W

Strong motor

Reverse function

SS Blade


Storage fuction


#12 grinder head



QF-MG181832

Product features

- Power:1400W
- #8830 full copper motor
- #12 grinder head
- With storage function
- 3pcs metal plates: 3mm+5mm+7mm
- Stainless steel housing with 2 speed
- With metal gear and gearbox
- 1800W / 2000W for Optional

Packaging parameters

- 20GP:880 pcs
- 40GP:1840 pcs
- 40HQ:2116 pcs

QF-MG181836

Product features

- Power:500W
- #7025 full copper motor
- Stainless steel housing with portable handle
- With storage function
- 3pcs metal plates: 3mm+5mm+7mm
- On/ off and reverse function
- 800W / 1000W / 1400W / 1800W for Optional

Packaging parameters

- 20GP:1164 PCS
- 40GP:2580 PCS
- 40HQ:2852 PCS


Storage fuction



500W

Strong motor

Reverse function

SS Blade

500W

Strong motor

Reverse function

SS Blade


Storage fuction



QF-MG181809

Product features

- Power:500W
- #7025 full copper motor
- Stainless steel housing
- With storage function
- 3pcs metal plates: 3mm+5mm+7mm
- On/ off and reverse function
- 800W / 1000W / 1400W / 1800W for Optional

Packaging parameters

- 20GP:1216 PCS
- 40GP:2536 PCS
- 40HQ:2836 PCS

QF-MG181824

Product features

- Power:1200W
- #8830 Full copper motor
- With reversion rotaiton
- With storage function
- Stainless Steel Housing
- 3pcs metal plates: 3mm+5mm+7mm
- With Small Storage box inside

Packaging parameters

- 20GP:1110 PCS
- 40GP:2238 PCS
- 40HQ:2622 PCS


Storage fuction



1200W

Strong motor

Reverse function

SS Blade

500W

Strong motor

Reverse function

SS Blade





QF-MG180503

Product features

- Power:500W
- AC #8820 full copper motor
- Productivity: 2.0kgs/min
- With storage function
- 3pcs metal plates: 3mm+5mm+7mm
- Integrated 900ml big storage
- New-shape fixing ring

Packaging parameters

- 20GP:1040 PCS
- 40GP:2172 PCS
- 40HQ:2552 PCS

QF-MG180502

Product features

- Power:500W
- AC #8820 full copper motor
- Productivity: 2.0kgs/min
- With storage function
- 3pcs metal plates: 3mm+5mm+7mm
- Integrated 900ml big storage
- New-shape fixing ring

Packaging parameters

- 20GP:1040 PCS
- 40GP:2172 PCS
- 40HQ:2552 PCS







500W

Strong motor

Reverse function

SS Blade

500W

Strong motor

Reverse function

SS Blade



QF-MG180406

Product features

- Power:500W
- #6630 alum motor
- Reverse function
- Plastic gear and gear box
- Stainless steel blade

Packaging parameters

- 20GP:2292 PCS
- 40GP:4602 PCS
- 40HQ:5040 PCS

QF-MG180408

Product features

- Power:800W
- #7025 copper motor
- Reverse function
- SS Housing
- Plastic tray
- Plastic gear and gear box

Packaging parameters

- 20GP:2292 PCS
- 40GP:4602 PCS
- 40HQ:5040 PCS





1200W

Strong motor

Reverse function

SS Blade

600W

Strong motor

Reverse function

SS Blade



QF-MG181834

Product features

- Power:600W
- #7025 Copper Motor
- With reversion rotation
- 3pcs metal plates: 3mm+5mm+7mm
- With double switches for safety locked
- Plastic gear box & gears

Packaging parameters

- 20GP:1752 PCS
- 40GP:3582 PCS
- 40HQ:4200 PCS

QF-MG181835

NEW

Product features

- Power:600W
- #7025 Copper Motor
- With reversion rotation
- 3pcs metal plates: 3mm+5mm+7mm
- With double switches for safety locked
- Plastic gear box & gears

Packaging parameters

- 20GP:1752 PCS
- 40GP:3582 PCS
- 40HQ:4200 PCS



600W

Strong motor

Reverse function

SS Blade

600W

Strong motor

Reverse function

SS Blade



QF-MG180605

Product features

- Power:600W
- #7025 Copper Motor
- Low noisy level
- With reversion rotation
- 3pcs metal plates: 3mm+5mm+7mm
- Plastic gear box with plastic gear

Packaging parameters

- 20GP:2004 PCS
- 40GP:3200 PCS
- 40HQ:4002 PCS

QF-MG180606

Product features

- Power:600W
- #7025 Copper Motor
- Low noisy level
- With reversion rotation
- 3pcs metal plates: 3mm+5mm+7mm
- Plastic gear box with plastic gear

Packaging parameters

- 20GP::2004 PCS
- 40GP:3200 PCS
- 40HQ:4002 PCS



600W

Strong motor

Reverse function

SS Blade

800W

Strong motor

Reverse function

SS Blade



QF-1789

Product features

- Power:800W
- #7625 motor Full copper motor
- With reversion rotation
- Low noisy level
- 3pcs metal plates: 3mm+5mm+7mm
- 800W / 1000W / 1400W / 1800W for Optional

Packaging parameters

- 20GP:1632 PCS
- 40GP:3336 PCS
- 40HQ:3852 PCS

QF-3789

Product features

- Power:800W
- #7625 Full copper motor
- With reversion rotation
- Low noisy level
- 3pcs metal plates: 3mm+5mm+7mm
- 800W / 1000W / 1400W / 1800W for Optional





Packaging parameters

- 20GP:1566 PCS
- 40GP:3150 PCS
- 40HQ:3528 PCS

800W

Strong motor

Reverse function

SS Blade

1200W

Strong motor

Reverse function

SS Blade



QF-MG181833

Product features

- Power:1200W
- #8830 Copper motor
- With reversion rotation
- Aluminum gear box and Iron gear
- 3pcs metal plates: 3mm+5mm+8mm
- ALL stainless steel body, double wall housing
- Large machine mode

Packaging parameters

- 20GP:816 PCS
- 40GP:1680 PCS
- 40HQ:1840 PCS

QF-4789KD

Product features

- Power:2000W
- #8840 full copper motor
- #10 grinder head
- Die-cast housing
- High meat productivity
- 3pcs metal plates: 4mm+8mm,+Fan shape
- With reversion rotaiton



#10 grinder head



DIE-CAST





Packaging parameters

- 20GP:900 PCS
- 40GP:1860 PCS
- 40HQ:2240 PCS

2000W

Strong motor

Reverse function

SS Blade

MEAT GRINDER—Accessories Data Sheet

3mm cutting plate (5#,8#)		5mm cutting plate (5#,8#)	
7mm cutting plate (5#,8#)		4mm cutting plate (10#)	
8mm cutting plate (10#)		Fanshaped cutting plate (5#,8#)	
Blade (5#,8#)		Food pusher	
Sausage adapter		Kibbe attachment	
Aluminum food tray		Plastic food tray	
Transparent food tray		Transparent bowl	
Slicer cutting blade			
Tomato juicer			

MEMO