We are committed


to provide the highest quality product to our partners.

JEENOW

Guangdong Jienuo Electric Appliances Co.,Ltd
Add：No.23 Yonghui Road, Nantou Town, Zhongshan, Guangdong, China
Web：www.jeenow.com
TEL: +86-760-22965161
E-mail: sales@jeenow.com

JEENOW

CATALOGUE





COMPANY PROFILE

Guangdong Jienuo Electric Appliances Co., Ltd is a leading manufacturer specialized in middle and high end dishwasher products. Certified as a National High-tech Enterprise, JEENOW is located in Nantou Town, Zhongshan City, Guangdong Province, an important town in China's home appliance industry. Company's main products are: Countertop dishwasher, Built-in and Freestanding dishwasher, Drawer dishwasher, Integrated dishwasher and multi-functional baby bottle washer, as well as other kitchen appliances etc...

JEENOW has a strong R&D team with more than 25 professional dishwasher R&D and design engineers. The core members of this team have ever worked in the leading enterprise of this industry ,and have an average of more than 10 years of experience in dishwasher R&D and design . Under years research in this industry, Jeenow owns more than 142 product patent technologies, including more than 21 invention patents.

JEENOW has complete hardware facilities and industry-leading laboratories. The constant temperature and humidity performance laboratory can simulate various performance tests of dishwashers in various temperatures, environments and water quality. The 64-station intelligent reliability test laboratory, noise laboratory, salt spray, transportation simulation and other complete experimental facilities ensure that the performance of the product fully meets the requirements of high-end customers at home and abroad and exceeds industry standards .JEENOW has advanced fully automatic production lines, the initial assembly, the final assembly, the water inspection, and the electrical inspection are one-stop and high efficient.

JEENOW have been certified by ISO9001 quality system ,and products have complete approvals of GS/CQC/CE/ERP/Rohs/ETL/DOE/CB/PSE/KC. In line with the concept of "professional, high-end, high-quality products" since its establishment in Y2017, JEENOW products are not only sold well in the domestic market but also exported to many markets all over the world, such as Japan, South Korea, Europe, America,Southeast Asia and Middle East.

JEENOW

A SOLID BACKING FOR ENTERPRISES

Perfect production equipment and advanced management system are the guarantee of enterprise strength



Front Desk



General Office



Business Training




Product Showroom



Testing Labs

JEENOW Laboratory Testing

JEENOW have the leading laboratories and facilities to ensure the product fully meets the requirements of high-end customers domestic and abroad and exceeds industry standards.













JEENOW production workshop

JEENOW has established strategic partnerships with material and components suppliers to ensure that JEENOW provides quality products to our customers and delivery on time.













JEENOW


HONOR CERTIFICATE

JEENOW have been certified by ISO9001 quality system
And products have approvals of GS/CQC/CE/ERP/Rohs
ETL/DOE/CB/PSE/KC.





CE



GS



PSE



CB



ETL



DOE



IS014001



IS9001

JEENOW

Product index

01-08
Freestanding Dishwasher
Built-in Dishwasher

09-14
Freestanding Dishwasher
Built-in Dishwasher

15-16
Built in dishwasher


17-22
Countertop Dishwasher

23-24
Baby Bottle Washer


JEENOW dishwasher

New Dishwasher Technology
High energy clean sterilization

JEENOW Dishwasher



3 Spray arms+2 vortex wash spray arms
For all-around spray washing



4 spray nozzles
260 degree rotation
For special tableware or deep bottles



BLDC motor
High pressure water spraying
40000Pa powerful washing but low noise



Safty inlet hose option



High temperature of 75°C water to wash
Removes up to 99% of bacteria




Softener system

Softens water to aovid water scale
Extends the life of the machine



Knock to open door automatically



Double powerful fan + PTC

Heater for best drying



Adjustable basket

Adjustable space for your tableware loading



AI wash

Automatically select the suitable Washing
Programme for you



168Hours Freh Air Circle

Drying,Sterilization
&Storage Into One Machine



Blue indicated light

Easy to know the machine statuse



Tub Inside Lights

Now it is easier than ever to load or unioad
The dishwasher as the interior LED will
Completely illuminates the tub with a bright
But gentle light



Cutlery basket

Loading more small crockery
Efficient space saving, bigger capacity




Adjustable big 3rd rack

Left and right separated



Trident spray arms

With many water outlets and are evenly distributed,Uniform shower speed, sufficient power, full coverage dishwashing.



Twin-wing counter -rotating spray arm

The two spray arms rotate alternately to clean the tableware more evenly and improve the cleaning effect, especially for larger or complex shaped tableware.



DWF-19

FEATURES

· Freestanding Dishwasher
· 2 baskets with optional 3rd rack
· Inner tub:Stainless steel
· Water softner
· 3 Spraying arms
· Removable top board
· Touch control with LED display
· 1/2 half load
· Dry:Hot wind
· LED light
· Optional:1.Height adjustable upper basket
2. 2 votex wash spraying arms
3.Alt washing
4.UV light

SPECIFICATIONS

· Power:220V-240V 50Hz 1650-1950W
· Capacity:14/15 place settings
· 1-24 hours delay start
· Child lock function
· 14 programs

DIMENSIONS

· Product size(W*D*H):598*596*845mm
· Package size(W*D*H):650*650*890mm
· Loading qty(40HQ):162 pcs



DWF-19

FEATURES

· Freestanding Dishwasher
· 2 baskets with optional 3rd rack
· Inner tub:Stainless steel
· Water softner
· 3 Spraying arms
· Removable top board
· Touch control with LED display
· 1/2 half load
· Dry:Hot wind
· LED light
· Optional:1.Height adjustable upper basket
2. 2 votex wash spraying arms
3.Alt washing
4.UV light

SPECIFICATIONS

· Power:220V-240V 50Hz 1650-1950W
· Capacity:14/15 place settings
· 1-24 hours delay start
· Child lock function
· 14 programs

DIMENSIONS

· Product size(W*D*H):598*596*845mm
· Package size(W*D*H):650*650*890mm
· Loading qty(40HQ):162 pcs



DWF- 01

FEATURES
- Freestanding dishwasher
- 2 Baskets with optional 3rd rack
- Inner tub: Stainless steel
- Water softner
- 3 spray arms
- Removable top board
- Touch control with LED display
- 1/2 Half load
- Dry: hot wind
- LED light
- Optional: 1.Height adjustable upper basket
  2. 2 vortex wash spray arms
  3.Alt wash
  4.UV light

SPECIFICATIONS
- Power:220-240V 50/60Hz 1650-1950W
  120V 60Hz 1750W
- Capacity:14/15 place settings
- 1-24 hours delay start
- Child lock function
- 4 programs,Intensive Rapid,ECO,Hygiene
- Alt wash

DIMENSIONS
- Product size(W*D*H):598*569*845mm
- Package size:(W*D*H):650*650*890mm
- Loading qty(20GP/40GP/40HQ):54/108/162 pcs



DWF- 17

FEATURES
- Freestanding dishwasher
- 2 Baskets with optional 3rd rack
- Inner tub: Stainless steel
- Water softner
- 3 spray arms
- Removable top board
- Touch control with LED display
- 1/2 Half load
- Dry: hot wind
- LED light
- Optional: 1.Height adjustable upper basket
  2. 2 vortex wash spray arms
  3.Alt wash
  4.UV light

SPECIFICATIONS
- Power:220-240V 50/60Hz 1650-1950W
  120V 60Hz 1750W
- Capacity:14/15 place settings
- 1-24 hours delay start
- Child lock function
- 13 programs
- Alt wash
- 72h preserve function

DIMENSIONS
- Product size(W*D*H):598*569*845mm
- Package size(W*D*H):650*650*890mm
- Loading qty(20GP/40GP/40HQ):54/108/162 pcs



DWF- 14

FEATURES
- Freestanding dishwasher
- 2 Baskets with optional 3rd rack
- Inner tub: Stainless steel
- Water softner
- 3 spray arms
- Removable top board
- Button with light indicate
- 1/2 Half load
- Dry: hot wind
- LED light
- Optional: 1.Height adjustable upper basket
  2. 2 vortex wash spray arms
  3.Alt wash
  4.UV light

SPECIFICATIONS
- Power:220-240V 50/60Hz 1650-1950W
  120V 60Hz 1750W
- Capacity:14/15 place settings
- Delay start
- 8 programs:Normal,Intensive,Rapid,ECO, Hygiene,Glass,Self-clean,Pre-wash
- Alt wash
- Power wash
- 72h preserve function

DIMENSIONS
- Product size(W*D*H): 598*596*845mm
- Package size(W*D*H): 650*650*890mm
- Loading qty(20GP/40GP/40HQ): 54/108/162 pcs



DWB- 02A

FEATURES
- 815mm built in dishwasher
- 2 Baskets with optional 3rd rack
- Inner tub: Stainless steel
- Water softner
- 3 spray arms
- Touch control with LED display
- 1/2 Half load
- Dry: hot wind
- LED light
- Optional: 1.Height adjustable upper basket
  2. 2 vortex wash spray arms
  3.Alt wash
  4.UV light

SPECIFICATIONS
- Power：220-240V 50/60Hz 1650-1950W
- Capacity：14/15 place settings
- 1-24 hours delay start
- Child lock function
- 4 programs：Intensive, Rapid, ECO,Hygiene
- Alt wash
- 72h preserve function

DIMENSIONS
- Product size(W*D*H): 598*570*815mm
- Package size(W*D*H): 650*650*890mm
- Loading qty(20GP/40GP/40HQ): 54/108/162 pcs



JEENOW 795mm Freestanding dishwasher





DWF- 01A

FEATURES

· Freestanding dishwasher
· 2 baskets with optional 3rd rack
· Inner tub: Stainless steel
· Water softner
· 3 spray arms
· Removable top board
· Touch control with LED display
· 1/2 Half load
· Auto door open
· LED light
· Optional: 1.Height adjustable upper basket
2. 2 vortex wash spray arms
3.Alt wash
4.UV light

SPECIFICATIONS

· Power:220-240V 50/60Hz 1750W
120V 60Hz 1750W
· Capacity:14/15 place settings (EU)
15/16/18 place settings (CN)
· 1-24 hours delay start
· Child lock function
· 4 programs:Intensive,Rapid,ECO,Power wash
· 72h preserve function

DIMENSIONS

· Product size(W*D*H):598*600*795mm
· Package size(W*D*H):650*650*850mm
· Loading qty(20GP/40GP/40HQ):54/108/162 pcs

DWF- 12

FEATURES

· Freestanding dishwasher
· 2 baskets with optional 3rd rack
· Inner tub: Stainless steel
· Water softner
· 3 spray arms
· Removable top board
· Touch control with LED display
· 1/2 Half load
· Dry: hot wind
· LED light
· Optional:1.Height adjustable upper basket
2. 2 vortex wash spray arms
3.Alt wash
4.UV light

SPECIFICATIONS

· Power:220-240V 50/60Hz 1750W
120V 60Hz 1750W
· Capacity:14/15 place settings (EU)
15/16/18 place settings (CN)
· 1-24 hours delay start
· 72h preserve function
· Child lock function
· 5 programs:Intensive,Rapid,ECO,Normal,Hygiene
· AI wash

DIMENSIONS

· Product size(W*D*H):598*600*795mm
· Package size(W*D*H):650*650*850mm
· Loading qty(20GP/40GP/40HQ):54/108/162 pcs

795mm Freestanding dishwasher JEENOW



DWF- 12C

FEATURES

· Freestanding dishwasher
· 2 baskets with optional 3rd rack
· Inner tub: Stainless steel
· Water softner
· 3 spray arms
· Removable top board
· Touch control with LED display/Color film display
· 1/2 Half load
· Auto door open
· LED light
· Optional: 1.Height adjustable upper basket
2. 2 vortex wash spray arms
3.Alt wash
4.UV light

SPECIFICATIONS

· Power:220-240V 50/60Hz 1750W
120V 60Hz 1750W
· Capacity:14/15 place settings (EU)
15/16/18 place settings (CN)
· 1-24 hours delay start
· Child lock function
· 12 programs
· 72h preserve function

DIMENSIONS

· Product size(W*D*H):598*600*795 mm
· Package size(W*D*H):650*650*850mm
· Loading qty(20GP/40GP/40HQ):54/108/162 pcs



DWF- 13

FEATURES


· Freestanding dishwasher
· 2 baskets with optional 3rd rack
· Inner tub: Stainless steel
· Water softner
· 3 spray arms
· Removable top board
· Touch control with LED display/Color film display
· 1/2 Half load
· Dry: hot wind
· LED light
· Optional:1.Height adjustable upper basket
2. 2 vortex wash spray arms
3.Alt wash
4.UV light

SPECIFICATIONS

· Power:220-240V 50/60Hz 1750W
120V 60Hz 1750W
· Capacity:14/15 place settings (EU)
15/16/18 place settings (CN)
· 1-24 hours delay start
· 72h preserve function
· Child lock function
· 5 programs:Intensive,Rapid,ECO,Normal ,Hygiene
· AI wash

DIMENSIONS

· Product size(W*D*H):598*600*795 mm
· Package size(W*D*H):650*650*850mm
· Loading qty(20GP/40GP/40HQ):54/108/162 pcs



DWF- 15

FEATURES

· Freestanding dishwasher
· 2 baskets with optional 3rd rack
· Inner tub: Stainless steel
· Water softner
· 3 spray arms
· Removable top board
· Touch control with LED display/Color film display
· 1/2 Half load
· Auto door open
· LED light
· Optional: 1.Height adjustable upper basket
2. 2 vortex wash spray arms
3.Alt wash
4.UV light

SPECIFICATIONS

· Power:220-240V 50/60Hz 1750W
120V 60Hz 1750W
· Capacity:14/15 place settings (EU)
15/16/18 place settings (CN)
· 1-24 hours delay start
· 72h preserve function
· Child lock function
· 16 programs

DIMENSIONS

· Product size(W*D*H):598*600*795mm
· Package size(W*D*H):650*650*850mm
· Loading qty(20GP/40GP/40HQ):54/108/162 pcs



DWF- 16

FEATURES


· Freestanding dishwasher
· 2 baskets with optional 3rd rack
· Inner tub: Stainless steel
· Water softner
· 3 spray arms
· Removable top board
· Touch control with LED display/Color film display
· 1/2 Half load
· Dry: hot wind
· LED light
·Optional: 1.Height adjustable upper basket
2. 2 vortex wash spray arms
3.Alt wash
4.UV light

SPECIFICATIONS

· Power:220-240V 50/60Hz 1750W
120V 60Hz 1750W
· Capacity:14/15 place settings (EU)
15/16/18 place settings (CN)
· 1-24 hours delay start
· 72h preserve function
· Child lock function
· 10 programs

DIMENSIONS

· Product size(W*D*H):598*600*795mm
· Package size(W*D*H):650*650*850mm
· Loading qty(20GP/40GP/40HQ):54/108/162 pcs



DWB- 02

FEATURES

·Built in dishwasher
· 2 baskets with optional 3rd rack
· Inner tub: Stainless steel
· Water softner
· 3 spray arms
· Touch control
· Half load
· Dry: hot wind
· LED light
· Customized the door panel base on the kitchen
· Optional: 1.Height adjustable upper basket
2. 2 vortex wash spray arms
3.Alt wash
4.UV light

SPECIFICATIONS

· Power:220-240V 50/60Hz 1750W
120V 60Hz 1750W
· Capacity:14/15 place settings (EU)
15/16/18 place settings (CN)
· 6 programs:Intensive,Rapid,ECO,Normal ,
Hygiene,AI wash
· Alt wash
· 7days preserve function
· 1-24 hours delay start
· Auto door open

DIMENSIONS

· Product size(W*D*H): 598*550*765mm
598*550*815mm
· Package size(W*D*H):650*650*850mm
· Loading qty(20GP/40GP/40HQ):54/108/162 pcs



DWB- 03

FEATURES


· Freestanding dishwasher
· 2 baskets with optional 3rd rack
· Inner tub: Stainless steel
· Water softner
· 3 spray arms
· Removable top board (Built in)
· Touch control with LED display
· 1/2 Half load
· Dry: hot wind
· LED light
· Optional: 1.Height adjustable upper basket
2. 2 vortex wash spray arms
3.Alt wash
4.UV light

SPECIFICATIONS

· Power:220-240V 50/60Hz 1750W
120V 60Hz 1750W
· Capacity:14/15 place settings (EU)
15/16/18 place settings (CN)
· 4 programs:Intensive,Rapid,ECO,Hygiene
· Alt wash
· 7days preserve function
· 1-24 hours delay start

DIMENSIONS

· Product size(W*D*H):598*570*765mm
· Package size(W*D*H):650*650*850mm
· Loading qty(20GP/40GP/40HQ):54/108/162 pcs



DWB- 04

FEATURES

· Freestanding dishwasher
· 2 baskets with optional 3rd rack
· Inner tub: Stainless steel
· Water softner
· 3 spray arms
· Removable top board (Built in)
· Touch control with LED display
· 1/2 Half load
· Auto door open
· LED light
· Optional: 1.Height adjustable upper basket
2. 2 vortex wash spray arms
3.Alt wash
4.UV light

SPECIFICATIONS

· Power:220-240V 50/60Hz 1750W
120V 60Hz 1750W
· Capacity:14/15 place settings (EU)
15/16/18 place settings (CN)
· 4 programs:Intensive,Rapid,ECO,Hygiene
· Alt wash
· 7days preserve function
· 1-24 hours delay start

DIMENSIONS

· Product size(W*D*H):598*570*765mm
· Package size(W*D*H):650*650*850mm
· Loading qty(20GP/40GP/40HQ):54/108/162 pcs



DWB- 02B

FEATURES

· Freestanding dishwasher
· 2 baskets with optional 3rd rack
· Inner tub: Stainless steel
· Water softner
· 3 spray arms
· Removable top board (Built in)
· Touch control with LED display
· 1/2 Half load
· Auto door open
· LED light
· Optional: 1.Height adjustable upper basket
2. 2 vortex wash spray arms
3.Alt wash
4.UV light

SPECIFICATIONS

· Power:220-240V 50/60Hz 1750W
120V 60Hz 1750W
· Capacity:14/15 place settings (EU)
15/16/18 place settings (CN)
· 4 programs:Intensive,Rapid,ECO,Hygiene
· Alt wash
· 7days preserve function
· 1-24 hours delay start

DIMENSIONS

· Product size(W*D*H):598*570*765mm
· Package size(W*D*H):650*650*850mm
· Loading qty(20GP/40GP/40HQ):54/108/162 pcs



DWB-801

FEATURES

- Built-in Dishwasher
- 2 baskets
- Inner tub:Stainless steel
- Water softner
- 3 Spraying arms
- Touch control with LED display
- Dry:Hot wind
- LED light
- Optional:1.Alt washing 2.UV light

SPECIFICATIONS

- Power: 220V-240V 50Hz 1750W
- Capacity:8-14 place settings
- 1-24 hours delay start
- Child lock function
- 8 programs: Hygiene,Strong,ECO,Normal, Standard, Rapid,Glass, Self-clean
- 72h preserve function

DIMENSIONS

- Product size mm (W*D*H): Built-in 595*520*627mm
- Package size mm (W*D*H): 670*616*730mm
- Open hole size mm (W*D*H): Built-in 560*520*605mm
- Loading qty(40HQ) 162 pcs



DWB-801C

FEATURES

- Built-in Dishwasher
- 2 baskets
- Inner tub:Stainless steel
- Water softner
- 3 Spraying arms
- Color film display
- Dry:Hot wind
- LED light
- Optional:1.Alt washing 2.UV light

SPECIFICATIONS

- Power: 220V-240V 50Hz 1750W
- Capacity:8-14 place settings
- 1-24 hours delay start
- Child lock function
- 8 programs: Hygiene,Strong,ECO,Normal, Standard, Rapid,Glass, Self-clean
- 72h preserve function

DIMENSIONS

- Product size mm (W*D*H): Built-in 595*520*627mm
- Package size mm (W*D*H): 670*616*730mm
- Open hole size mm (W*D*H): Built-in 560*520*605mm
- Loading qty(40HQ) 162 pcs



DWB-802

FEATURES

- Built-in Dishwasher
- 2 baskets
- Inner tub:Stainless steel
- Water softner
- 3 Spraying arms
- Touch control with LED display
- Dry:Hot wind
- LED light
- Optional:1.Alt washing 2.UV light

SPECIFICATIONS

- Power: 220V-240V 50Hz 1750W
- Capacity:8-14 place settings
- 1-24 hours delay start
- Child lock function
- 8 programs: Hygiene,Strong,ECO,Normal, Standard, Rapid,Glass, Self-clean
- 72h preserve function

DIMENSIONS

- Product size mm (W*D*H): Built-in 595*520*627mm
- Package size mm (W*D*H): 670*616*730mm
- Open hole size mm (W*D*H): Built-in 560*520*605mm
- Loading qty(40HQ) 162 pcs



DWB-802C

FEATURES

- Built-in Dishwasher
- 2 baskets
- Inner tub:Stainless steel
- Water softner
- 3 Spraying arms
- Color film display
- Dry:Hot wind
- LED light
- Optional:1.Alt washing 2.UV light

SPECIFICATIONS

- Power: 220V-240V 50Hz 1750W
- Capacity:8-14 place settings
- 1-24 hours delay start
- Child lock function
- 8 programs: Hygiene,Strong,ECO,Normal, Standard, Rapid,Glass, Self-clean
- 72h preserve function

DIMENSIONS

- Product size mm (W*D*H): Built-in 595*520*627mm
- Package size mm (W*D*H): 670*616*730mm
- Open hole size mm (W*D*H): Built-in 560*520*605mm
- Loading qty(40HQ) 162 pcs



JEENOW Countertop Dishwasher




Small size & large capacity
Meets the daily needs of 2-4 people



Built in water tank
Fast water intake
Automatic water level recognition



Double Spraying systerm



72h storage of cutlery



Top control



TDQR01A

FEATURES

- Countertop dishwasher
- two water inlets options
- Free-installation, built-in water tank
- up and down spray arms
- Touch control panel
- CE/CB/GS/ETL/ROHS certificate, ERP/DOE energy

SPECIFICATIONS

- Power:220-240V 50/60Hz 950W / 120V 60Hz 950W
- Capacity: 2-3 place settings(EU)
  4-6 place settings(CN)
- 5 programs: Normal,ECO,Rapid,Strong,Fruit
- High temperature wash
- Dry: drying with PTC and fan
- Optional: Water softner

DIMENSIONS

- Product size(W*D*H):428*425*458mm
- Package size(W*D*H):510*480*525mm
- Loading qty(20GP/40HQ):176/480PCS



TDQR03A

FEATURES

- Countertop dishwasher
- two water inlets options
- Free-installation, built-in water tank
- up and down spray arms
- Touch control panel
- CE/CB/GS/ETL/ROHS certificate, ERP/DOE energy

SPECIFICATIONS

- Power:220-240V 50/60Hz 950W / 120V 60Hz 950W
- Capacity: 2-3 place settings(EU)
  4-6 place settings(CN)
- 5 programs:Normal,ECO,Rapid,Strong,Fruit
- High temperature wash
- Dry: drying with PTC and fan
- Optional:Water softner

DIMENSIONS

- Product size(W*D*H):428*425*458mm
- Package size(W*D*H):510*480*525mm
- Loading qty(20GP/40HQ):176/480PCS



TDQR04A

FEATURES

- Countertop dishwasher
- two water inlets options
- Free-installation, built-in water tank
- up and down spray arms
- Touch control panel
- CE/CB/GS/ETL/ROHS certificate, ERP/DOE energy

SPECIFICATIONS

- Power:220-240V 50/60Hz 950W / 120V 60Hz 950W
- Capacity:2-3 place settings(EU)
  4-6 place settings(CN)
- 5 programs:Normal,ECO,Rapid,Strong,Fruitt
- High temperature wash
- Dry:drying with PTC and fan
- Optional:Water softner

DIMENSIONS

- Product size(W*D*H):428*425*458mm
- Package size(W*D*H):510*480*525mm
- Loading qty(20GP/40HQ):176/480PCS



TDQR05A

FEATURES

- Countertop dishwasher
- two water inlets options
- Free-installation, built-in water tank
- up and down spray arms
- Touch control panel
- CE/CB/GS/ETL/ROHS certificate, ERP/DOE energy

SPECIFICATIONS

- Power:220-240V 50/60Hz 950W / 120V 60Hz 950W
- Capacity:2-3 place settings(EU)
  4-6 place settings(CN)
- 5 programs:Normal,ECO,Rapid,Strong,Fruit
- High temperature wash
- Dry:drying with PTC and fan
- Optional:Water softner

DIMENSIONS

- Product size(W*D*H):428*425*458mm
- Package size(W*D*H):510*480*525mm
- Loading qty(20GP/40HQ):176/480PCS



TDQR07A

FEATURES

· Conutertop dishwasher
· two water inlets options
· Free-installation, built-in water tank
· up and down spray arms
· Touch control panel
· CE/CB/ETL certificate, DOE energy certificate

SPECIFICATIONS

· Power:220-240V 50/60Hz 950W
120V 60Hz 950W
·Capacity:2-3 place settings(EU)
4-6 place settings(CN)
·7 programs:Normal,ECO,Rapid,Strong,Fruit,Glass, Self-clean
·High temperature wash
·Dry:drying with PTC and fan
·Optional:Water softner

DIMENSIONS

· Product size(W*D*H):428*425*458mm
· Package size(W*D*H):510*480*525mm
· Loading qty(20GP/40HQ):176/480PCS



TDQR09A

FEATURES

· Conutertop dishwasher
· two water inlets options
· Free-installation, built-in water tank
· up and down spray arms
· Touch control panel
· CE/CB/ETL certificate, DOE energy certificate

SPECIFICATIONS

· Power:220-240V 50/60Hz 950W
120V 60Hz 950W
· Capacity:2-3 place settings(EU)
4-6 place settings(CN)
· 7 programs:Normal,ECO,Rapid,Strong,Fruit,Glass, Self-clean
·High temperature wash
·Dry: drying with PTC and fan
·Optional:Water softner

DIMENSIONS

· Product size(W*D*H):428*425*458mm
· Package size(W*D*H):510*480*525mm
· Loading qty(20GP/40HQ):176/480PCS



TDQR10A

FEATURES

· Conutertop dishwasher
· two water inlets options
· Free-installation, built-in water tank
· up and down spray arms
· Touch control panel
· CE/CB/ETL certificate, DOE energy certificate

SPECIFICATIONS

·Power:220-240V 50/60Hz 950W
120V 60Hz 950W
·Capacity:2-3 place settings(EU)
4-6 place settings(CN)
·7 programs:Normal,ECO,Rapid,Strong,Fruit,Glass, Self-clean
·High temperature wash
·Dry: drying with PTC and fan
·Optional:Water softner

DIMENSIONS

· Product size(W*D*H):428*425*458mm
· Package size(W*D*H):510*480*525mm
· Loading qty(20GP/40HQ):176/480PCS



TDQR11A

FEATURES

· Conutertop dishwasher
· two water inlets options
· Free-installation, built-in water tank
· up and down spray arms
· Touch control panel
· CE/CB/GS/ETL/ROHS certificate

SPECIFICATIONS

· Power:220-240V 50/60Hz 950W
120V 60Hz 950W
· Capacity: 2-3 place settings(EU)
4-6 place settings(CN)
· 5 programs:Normal,ECO,Rapid,Strong,Fruit
· High temperature wash
· Dry: drying with PTC and fan
· Optional:Water softner

DIMENSIONS

· Product size(W*D*H):443*467*441mm
· Package size(W*D*H):525*505*570mm
· Loading qty(40HQ):368PCS

Model: CJR02

DRAWER DISHWASHER

Ergonomic design,
no need to bend to operate
Best User Experience
DRAWER DISHWASHER

720°
Comprehensive coverage cleaning

AI
Intelligent sensing of oil pollution

18
18 powerful spray holes

JEENOW Baby bottle washer



Patented
4-set bottle design



Flexible basket



High temperature of 75°C wash

Cyclone type 360°
No dead angle spraying



UV light to remove bacteria







FEATURES

- Mini dishwasher
- Free-installation, built-in water tank
- down spray arm
- Touch control panel
- CE/CB certificate

SPECIFICATIONS

- Power:220-240V 50/60Hz 900W / 120V 60Hz 900W
- Capacity:4 place settings
- 5 programs:Quick, Standard, Strong, Hygiene
- High temperature wash
- Dry:drying with PTC and fan

TBXQR02-B1	TBXQR02-B2	TBXQR02
4+1 programs	4+1 programs	4+1 programs
Capacity:4 place settings	Capacity:4 place settings	Capacity:4 place settings

- Product size(W*D*H):330*362*436mm
- Package size(W*D*H):410*390*500mm
- Loading qty(20GP/40GP/40HQ):280/560/725 pcs