
Gym Equipment - Updated Zone design



CLIENT: ST WILLIAM	**DRAWING TITLE** GYM OPTION - RESIDENTS FACILITIES 2.0	**DATE** 12/11/2024	**APPROVED BY:**PH	DO NOT SCALE FROM DRAWING.EXISTING DRAWINGS SHOULD BE CHECKED WITH SITE SURVEY PRIOR TO FIT-OUT.GYM EQUIPMENT LAYOUT PROVIDED BY EDUCATED BODY. FULL HEIGHT SAFETY MIRRORS (CEILING TO SKIRTING BOARD) TO BE BONDED TO WALL (WITH PLYWOOD SUBSTRATE) USING APPROPRIATE MIRROR ADHESIVE. MINIMUM FINAL FINISHED FLOOR TO CEILING HEIGHT TO BE 2400MM (IDEALLY MORE). ALL LIFT DIMENSIONS MUST ALSO BE CONFIRMED. **NOTE:** ADDITIONAL CEILING HEIGHT IS REQUIRED BY SOME EQUIPMENT. REFER TO DRAWING AND SPECIFICATION DOCUMENT.	ALL ACCESS DOORS AND STAIR ROUTES TO THE GYM NEED TO BE 950MM MINIMUM CLEAR ACCESS. ACCESS SHOULD BE CHECKED EARLY ON IN THE DESIGN PROCESS TO ENSURE THE SPECIFIED EQUIPMENT CAN BE INSTALLED. LESS THAN 920MM CAN AFFECT THE CHOICE OF EQUIPMENT. BE AWARE GYM EQUIPMENT WHEN IN USE CAN CAUSE NOISE AND VIBRATION TRANSFERENCE INTO SURROUNDING AREAS. AN ACOUSTICIAN SHOULD BE CONSULTED BY THE CLIENT AS THIS IS NOT EDUCATED BODY RESPONSIBILITY. WATER FOUNTAIN SPECIFICATION 352 (650) BY THE CLIENT. FLOOR BOXES SHOULD INCLUDE POWER, COAX AND DATA. REFER TO DRAWING AND SPECIFICATION DOCUMENT.
	DRAWING SCALE Refer to Educated Body DWG	**REVISION** REVISION D	**Copyright** Educated Body 2024		
PROJECT: POPLAR RIVERSIDE	**CEILING HEIGHT** 3135MM	**DRAWN BY** RBS	**Web:** www.educatedbody.com **Email:** info@educatedbody.com **Tel:** +44 (0) 208 789 9600 **Address:** Unit 218, The Light Bulb 1 Filament Walk, London SW18 4GQ Educated Body is a trading of Raw Corporate Health Ltd		
PROJECT ADDRESS: LONDON	**LEVEL** GROUND FLOOR	**TYPE** RESIDENTIAL **NUMBER OF APARTMENTS** 352 (650)			

EDUCATED BODY

Gym Equipment - 3D Cutaway



CLIENT: ST WILLIAM	**DRAWING TITLE** GYM OPTION - RESIDENTS FACILITIES 2.0	**DATE** 12/11/2024	**APPROVED BY:**PH	DO NOT SCALE FROM DRAWING.EXISTING DRAWINGS SHOULD BE CHECKED WITH SITE SURVEY PRIOR TO FIT-OUT.GYM EQUIPMENT LAYOUT PROVIDED BY EDUCATED BODY. FULL HEIGHT SAFETY MIRRORS (CEILING TO SKIRTING BOARD) TO BE BONDED TO WALL (WITH PLYWOOD SUBSTRATE) USING APPROPRIATE MIRROR ADHESIVE. MINIMUM FINAL FINISHED FLOOR TO CEILING HEIGHT TO BE 2400MM (IDEALLY MORE). ALL LIFT DIMENSIONS MUST ALSO BE CONFIRMED. **NOTE:** ADDITIONAL CEILING HEIGHT IS REQUIRED BY SOME EQUIPMENT. REFER TO DRAWING AND SPECIFICATION DOCUMENT.	ALL ACCESS DOORS AND STAIR ROUTES TO THE GYM NEED TO BE 950MM MINIMUM CLEAR ACCESS. ACCESS SHOULD BE CHECKED EARLY ON IN THE DESIGN PROCESS TO ENSURE THE SPECIFIED EQUIPMENT CAN BE INSTALLED. LESS THAN 920MM CAN AFFECT THE CHOICE OF EQUIPMENT. BE AWARE GYM EQUIPMENT WHEN IN USE CAN CAUSE NOISE AND VIBRATION TRANSFERENCE INTO SURROUNDING AREAS. AN ACOUSTICIAN SHOULD BE CONSULTED BY THE CLIENT AS THIS IS NOT EDUCATED BODY RESPONSIBILITY. WATER FOUNTAIN SPECIFICATION 352 (650) BY THE CLIENT. FLOOR BOXES SHOULD INCLUDE POWER, COAX AND DATA. REFER TO DRAWING AND SPECIFICATION DOCUMENT.
	DRAWING SCALE Refer to Educated Body DWG	**REVISION** REVISION D	**Copyright** Educated Body 2024		
PROJECT: POPLAR RIVERSIDE	**CEILING HEIGHT** 3135MM	**DRAWN BY** RBS	**Web:** www.educatedbody.com **Email:** info@educatedbody.com **Tel:** +44 (0) 208 789 9600 **Address:** Unit 218, The Light Bulb 1 Filament Walk, London SW18 4GQ Educated Body is a trading of Raw Corporate Health Ltd		
PROJECT ADDRESS: LONDON	**LEVEL** GROUND FLOOR	**TYPE** RESIDENTIAL			
		NUMBER OF APARTMENTS 352 (650)			

EDUCATED BODY